

# CONTA-CONNECT MARKING SYSTEMS

**CONTA-LABEL:**


**TERMINAL MARKERS**

**WIRE MARKERS**

**DEVICE MARKERS**

**PRINTERS**

**PRINTER SOFTWARE**



**Our ideas – to your advantage**



# Types and order numbers *numerical*

Type	Cat. no.	Site	Type	Cat. no.	Site	Type	Cat. no.	Site
PMP 0.30 mm	1314.0	56	SB 6/10 FS	2037.0	20	ESO GT 1	2580.0	25
PMP 0.70 mm	1315.0	56	SB 6/10 FS	2037.1	21	ESO GT 2	2581.0	25
HP 0.25 mm	1316.0	55	SB 6/10 FW	2040.0	21	STR GT 1	2582.0	25
HP 0.35 mm	1317.0	55	SB 6/10 GW	2102.0	20	STR GT 2	2583.0	25
HP 0.50 mm	1318.0	55	SB 6/10 GW	2102.1	21	ESO	2584.0	24
HP 0.70 mm	1319.0	55	SB 6/10 GS	2103.0	20	ESO 3	2585.0	25
PP 0.18 mm	1586.0	55	SB 6/10 GS	2103.1	21	KBH 10/4 coloured ferrule/Print/bag	2589.00...	37
PP 0.25 mm	1587.0	55	KBH 3/3 coloured ferrule/roll	2142.01...	33	KBH 10/15 neutral yellow single	2590.0	38
PP 0.35 mm	1588.0	55	KBH 5/3 coloured ferrule/roll	2146.01...	35	KBH-C 10 bag	2591.0...	40
PP 0.50 mm	1589.0	55	KBH 10/4 coloured ferrule/roll	2148.01...	37	KBH 10/21 neutral yellow single	2592.0	38
PP 0.70 mm	1590.0	55	SB 6/10 FS	2149.0	21	KBH 10/27 neutral yellow single	2593.0	38
PP 1.00 mm	1591.0	55	KBH 3/3 numbers/roll	2156.00...	33	KBH 10/36 neutral yellow single	2594.0	38
CCI-2	1592.0	54	KBH 3/3 upper case letters/roll	2156.02...	33	KBH-C 20 bag	2595.0...	40
CCI-3	1593.0	54	KBH 3/3 lower case letters/roll	2156.03...	33	KBH 5/3 coloured ferrule/Print/bag	2596.00...	35
CCI-1	1594.0	54	KBH 3/3 symbols/roll	2156.04...	33	KBH 3/3 coloured ferrule/Print/bag	2597.00...	33
TP (5 x 1 ml)	1595.0	56	SB 6/10 GW	2157.0	20	KBH-C 30 bag	2599.0...	40
CC-1	1597.0	56	KBH 5/3 numbers/roll	2160.00...	35	BSTR 10/5 neutral	2610.0	22
PC-1	1598.0	56	KBH 5/3 upper case letters/roll	2160.02...	35	BSTR 10/5 FW	2611.0	22
CCI-4	1600.0	54	KBH 5/3 lower case letters/roll	2160.03...	35	BSTR 10/5 FS	2612.0	22
CCI-5	1601.0	54	KBH 5/3 symbols/roll	2160.04...	35	BSTR 12/6 neutral	2613.0	22
CCI-6	1602.0	54	SB 6/10 GS	2161.0	20	BSTR 12/6 FW	2614.0	22
CCI-7	1603.0	54	KBH 10/4 numbers/roll	2162.00...	37	BSTR 12/6 FS	2615.0	22
CCI-8	1604.0	54	KBH 10/4 upper case letters/roll	2162.02...	37	SchT 3/AS 3	2616.0	23
CCI-10	1606.0	54	KBH 10/4 lower case letters/roll	2162.03...	37	SchT 4/AS 3	2617.0	23
CCI-11	1607.0	54	KBH 10/4 symbols/roll	2162.04...	37	SchT 5/AS 3	2618.0	23
EMS-2 Easy-Marking-System			SB 6/10 GW	2175.0	21	SchT 6/AS 3	2619.0	23
DE/EN/FR/ES/PL/RU	1610.0	54	SB 5/10 F	2259.0	21	KBH-S 21 neutral yellow strip	2624.0	42
EMS-2 Starter Kit			SB 6/10 F	2291.0	21	KBH-S 57 neutral yellow strip	2625.0	42
DE/EN/FR/ES/PL/RU	1612.0	54	SB 5/10 FW F	2358.0	21	KBH-S 57 neutral white strip	2626.0	42
TPP (5 x 1 ml)	1614.0	56	SB 5/10 FW F	2358.1	21	KBH 3/15 neutral yellow strip	2627.0	34
PPP 0.18 mm	1615.0	55	SB 5/10 F So	2358.9	21	KBH 3/15 neutral white strip	2628.0	34
PPP 0.25 mm	1616.0	55	SB 6/10 FW F	2359.0	21	KBH 3/27 neutral yellow strip	2629.0	34
PPP 0.35 mm	1617.0	55	SB 6/10 FW F	2359.1	21	KBH 3/3 numbers/bag	2630.00...	33
PPP 0.50 mm	1618.0	55	SB 6/10 F So	2359.9	21	KBH 3/3 upper case letters/bag	2630.02...	33
PPP 0.70 mm	1619.0	55	SchT 7 long	2361.0	24	KBH 3/3 lower case letters/bag	2630.03...	33
PPP 1.00 mm	1620.0	55	SB 6/10 GW F	2363.0	21	KBH 3/3 symbols/bag	2630.04...	33
EMS-2 Engraving Unit	1621.0	58	SB 5/10 GS F	2364.0	21	KBH 3/3 coloured ferrule/bag	2631.01...	33
CCI-12	1622.0	54	KSH 6/33	2383.0	31	KBH 5/3 numbers/bag	2632.00...	35
Graver 0.2 mm	1623.0	58	KSH 11/33	2384.0	31	KBH 5/3 upper case letters/bag	2632.02...	35
Graver 0.3 mm	1624.0	58	SB 5/10 FW	2404.0	20	KBH 5/3 lower case letters/bag	2632.03...	35
Graver 0.4 mm	1625.0	58	SB 5/10	2430.0	20	KBH 5/3 symbols/bag	2632.04...	35
Graver 0.5 mm	1626.0	58	SB 5/10 FW	2431.0	20	KBH 5/3 coloured ferrule/bag	2633.01...	35
Graver 0.7 mm	1627.0	58	SB 5/10 FW	2431.1	21	KBH 5/6 printed/roll	2634.04...	36
Graver 1.00 mm	1628.0	58	SB 5/10 So	2431.7	21	KBH 10/4 numbers/bag	2637.00...	37
Graver Set	1629.0	58	SB 5/10 GW	2432.0	20	KBH 10/4 upper case letters/bag	2637.02...	37
Pressure ball	1630.0	56	SB 5/10 GW	2432.1	21	KBH 10/4 lower case letters/bag	2637.03...	37
Cleaning kit for TTP	1639.0	59	SB 5/10 FS	2433.0	20	KBH 10/4 symbols/bag	2637.04...	37
TTP printer	1640.0	59	SB 5/10 FS	2433.1	21	KBH 10/4 coloured ferrule/bag	2638.01...	37
TTP film	1641.0	59	SB 5/10 GS	2434.0	20	KBH 16/6 numbers/bag	2639.00...	39
TTP LabelSoft German	1642.0	60	SB 5/10 GS	2434.1	21	KBH 16/6 upper case letters/bag	2639.02...	39
TTP Starter Kit German	1644.0	59	SB 5/10 FW	2471.0	21	KBH 16/6 lower case letters/bag	2639.03...	39
TTP Starter Kit English	1645.0	59	SB 5/10 FS	2472.0	20	KBH 16/6 symbols/bag	2639.04...	39
TTP LabelSoft English	1646.0	60	SB 5/10 FS	2473.0	21	KBH 16/6 coloured ferrule/bag	2640.01...	39
Service Set EMS-2	1647.0	56	SB 5/10 GW	2474.0	20	MD 3	2650.0	36
Dust protection hood EMS-2	1648.0	56	SB 5/10 GS	2475.0	20	MD 4	2651.0	36
PPE 0.18 mm	1649.0	55	SB 6/10 GS F	2476.0	21	MD 5	2652.0	36
PPE 0.25 mm	1650.0	55	SchT 7	2504.0	24	MPS Variants	2653.0...	43
PPE 0.35 mm	1651.0	55	STR protective strips	2506.0	24	KH 70	2654.0	42
PPE 0.50 mm	1652.0	55	SB 5/10 FS F	2507.0	21	KH 110	2655.0	42
PPE 0.70 mm	1653.0	55	SB 5/10 FS F	2507.1	21	KBH 10/15 neutral white single	2656.0	38
PPE 1.00 mm	1654.0	55	SB 6/10 FS F	2508.0	21	KBH 10/21 neutral white single	2657.0	38
TTP LabelSoft Pro	1656.0	60	SB 6/10 FS F	2508.1	21	KBH 10/36 neutral white single	2659.0	38
TTP LabelSoft ADIM	1657.0	60	SB 5/10 GW F	2509.0	21	KBH 3/21 neutral yellow strip	2661.0	34
GMP 17/9 R WS   SW	1660.0	49	SchT 8	2520.0	24	KBH 3/21 neutral white strip	2662.0	34
GMP 17/9 R SI   SW	1661.0	49	BST 8 (1 Sheet = 350 markers)	2521.0	24	KBH 3/27 neutral white strip	2663.0	34
GMP 18/9 R WS   SW	1662.0	49	SK 8	2522.0	24	KBH 5/15 neutral yellow strip	2664.0	36
GMP 18/9 R SI   SW	1663.0	49	SB 5/10 GS F	2523.0	21	KBH 5/15 neutral white strip	2665.0	36
GMP 22/22 R WS   SW	1664.0	49	SB 6/10 GS F	2524.0	21	KBH-S 4 numbers/roll	2666.00...	41
GMP 22/22 R SI   SW	1665.0	49	KBH-S 21 neutral white strip	2525.0	42	KBH-S 4 upper case letters/roll	2666.02...	41
GMP 25/60 R WS   SW	1666.0	49	KBH-S 4 coloured ferrule/Print/bag	2527.00...	41	KBH-S 4 lower case letters/roll	2666.03...	41
GMP 19/45 R SI   SW	1667.0	49	SchT 4/8	2528.0	24	KBH-S 4 symbols/roll	2666.04...	41
GMP 27/12.5 R WS   SW	1668.0	49	SchT 6/12	2529.0	24	KBS-25 neutral yellow	2669.0104	42
GMP 27/12.5 R SI   SW	1669.0	49	SchT 11	2530.0	25	KBS-25 neutral white	2669.0109	42
GMP 27/18 R WS   SW	1670.0	49	KBH-S 36 neutral yellow strip	2532.0	42	KBS-40 neutral yellow	2670.0104	42
GMP 27/18 R SI   SW	1671.0	49	KBH-S 36 neutral white strip	2533.0	42	KBS-40 neutral white	2670.0109	42
GMP 27/27 R WS   SW	1672.0	49	MPS customer-specific 1 x 1-8	2658.008	44	KBH-S 4 coloured ferrule/bag	2671.01...	41
GMP 27/27 R SI   SW	1673.0	49	MPS customer-specific 2 x 1-11	2658.011	44	KB 140 black	2672.0	42
GMP 30/15 WS   SW	1674.0	49	MPS customer-specific 1 x 9-13	2658.013	44	KBH 5/21 neutral yellow strip	2673.0	36
GMP 70/35 R SI   SW	1675.0	49	MPS customer-specific 2 x 12-18	2658.018	44	KBH 5/21 neutral white strip	2674.0	36
GMP 200/300 WS   SW right-angled	1676.0	49	MPS customer-specific 1 x 14-19	2658.019	44	KBH 3/6 printed/roll	2675.04...	34
GMP 200/300 SI   SW right-angled	1677.0	49	MPS customer-specific 1 x 20-25	2658.025	44	KBH 3/6 printed/bag	2678.04...	34
GMA 30/15 SI   SI 2 x 2.2	1680.0	50	MPS customer-specific 2 x 19-27	2658.027	44	KBH 5/6 printed/bag	2681.04...	36
GMA 55/20 SI   SI 2 x 2.5	1681.0	50	MPS customer-specific 1 x 26-30	2658.030	44	KBH 5/27 neutral yellow strip	2684.0	36
GMA 40/15 SI   SI 2 x 2.5	1682.0	50	MPS customer-specific 2 x 28-35	2658.035	44	KBH 5/27 neutral white strip	2685.0	36
Survol cutting oil 500 ml	1685.0	58	MPS customer-specific 2 x 36-43	2658.043	44	MPS assortment box, numbers and symbols	2686.0	43
Alu-oxide 100 mm acid	1686.0	58	KBH-S 84 neutral yellow strip	2562.0	42	MPS assortment box, letters	2687.0	43
BS-1	2034.0	22	KBH-S 84 neutral white strip	2565.0	42	KBH-S 4 numbers/bag	2690.00...	41
SB 6/10	2035.0	20	AS 3/10	2571.0	23	KBH-S 4 upper case letters/bag	2690.02...	41
SB 6/10 FW	2036.0	20	AS 3/10 F	2572.0	23	KBH-S 4 lower case letters/bag	2690.03...	41
SB 6/10 FW	2036.1	21	AS 3/10 G	2573.0	23	KBH-S 4 symbols/bag	2690.04...	41
SB 6/10 So	2036.7	21	STR 3	2579.0	25	KBH-S 4 coloured ferrule/bag	2691.01...	41

Type	Cat. no.	Site	Type	Cat. no.	Site	Type	Cat. no.	Site
KBH 10/6 printed/roll	2695.04...	38	Sample box of markers	3370.0	4	PMC SB 5/50 FW 251-300	4616.7	17
BSTR 10/5 neutral, coloured	2701.0	22	Sample Box Maxicard	3371.0	13	PMC SB 5/50 FW 301-350	4617.7	17
BSTR 12/6 neutral, coloured	2702.0	22	Sample cable	3372.0	28	PMC SB 5/50 FW 351-400	4618.7	17
BSTR 10/5 neutral, coloured	2706.0	22	MPS H 47	3430.0	44	PMC SB 5/50 FW 401-450	4619.7	17
BSTR 12/6 neutral, coloured	2707.0	22	MPS H 65	3431.0	44	PMC SB 5/50 FW 451-500	4620.7	17
BSTR 12/6 GW	2739.0	22	MPS H 87	3432.0	44	PMC SB 5/50 FW 501-550	4621.7	17
BSTR 10/5 GS	2744.0	22	MPS H 109	3433.0	44	PMC SB 5/50 FW 551-600	4622.7	17
BSTR 12/6 GS	2745.0	22	MPS H 128	3434.0	44	PMC SB 5/50 FW 601-650	4623.7	17
BSTR 10/5 Special print white	2779.0	22	KBH 10/27 neutral white single	3435.0	38	PMC SB 5/50 FW 651-700	4624.7	17
BSTR 12/6 Special print white	2780.0	22	CTS 4.6/127	3436.0	44	PMC SB 5/50 FW 701-750	4625.7	17
BSTR 10/5 GW	2781.0	22	CTS 4.6/150	3437.0	44	PMC SB 5/50 FW 751-800	4626.7	17
SB 7.5/10 neutral/blank	2838.0	20	CTS 4.6/200	3438.0	44	PMC SB 5/50 FW 801-850	4627.7	17
SB 7.5/10 printed	2839.0	21	CTS 4.6/360	3439.0	44	PMC SB 5/50 FW 851-900	4628.7	17
ESO 2	2877.0	25	SchT 9	3749.0	25	PMC SB 5/50 FW 901-950	4629.7	17
STR 2	2878.0	25	ZSchT 1	3773.0	24	PMC SB 5/50 FW L1, L2, L3, N, PE	4630.7	17
SchT 2	2888.0	25	ZSchT 2	3774.0	24	PMC SB 5/50 FW U1, V1, W1, N, PE	4631.7	17
SB 8/10 neutral	2940.0	20	ZSchT 3	3775.0	25	PMC SB 5/50 FW U1, V1, W1	4632.7	17
SB 8/10 FW	2941.0	20	ZSchT 4	3776.0	25	PMC SB 5/50 FW U2, V2, W2, N, PE	4633.7	17
SB 8/10 So	2941.7	21	ZSchT 5	3777.0	25	PMC SB 5/50 FW U2, V2, W2	4634.7	17
SB 8/10 FS	2942.0	20	GT 1	3783.2	25	PMC SB 5/50 FW X1-X10	4635.7	17
SB 8/10 GW	2943.0	20	GT 2	3784.2	25	PMC SB 5/50 FS 1-10	4636.7	17
SB 8/10 GS	2944.0	20	ZSchT 6	3807.0	25	PMC SB 5/50 FS 11-20	4637.7	17
SB 8/10 neutral F	2947.0	21	SchT 10	3809.0	25	PMC SB 5/50 FS 21-30	4638.7	17
SB 8/10 FW F	2948.0	21	MPS Tool M	3826.0	44	PMC SB 5/50 FS 31-40	4639.7	17
SB 8/10 F So	2948.9	21	GKE 15/6 SI	3900.0	51	PMC SB 5/50 FS 41-50	4640.7	17
SB 8/10 FS F	2949.0	21	GKE 15/6 WS	3900.7	51	PMC SB 5/50 FS 51-60	4641.7	17
SB 8/10 GW F	2950.0	21	GKE 15/6 GE	3900.8	51	PMC SB 5/50 FS 61-70	4642.7	17
SB 8/10 GS F	2951.0	21	GKE 18/6 SI	3901.0	51	PMC SB 5/50 FS 71-80	4643.7	17
SB 8/10 FW	2971.0	20	GKE 18/6 WS	3901.7	51	PMC SB 5/50 FS 81-90	4644.7	17
SB 8/10 FW	2972.0	21	GKE 18/6 GE	3901.8	51	PMC SB 5/50 FS 91-100	4645.7	17
SB 8/10 FS	2973.0	20	GKE 18/9 SI	3902.0	51	PMC SB 5/50 FS 1-50	4646.7	17
SB 8/10 FS	2974.0	21	GKE 18/9 WS	3902.7	51	PMC SB 5/50 FS 51-100	4647.7	17
SB 8/10 GW	2975.0	20	GKE 18/9 GE	3902.8	51	PMC SB 5/50 FS 101-150	4648.7	17
SB 8/10 GS	2976.0	20	GKE 20/8 SI	3903.0	51	PMC SB 5/50 FS 151-200	4649.7	17
SB 8/10 GS F	2977.0	21	GKE 20/8 WS	3903.7	51	PMC SB 5/50 FS 201-250	4650.7	17
SB 8/10 GW F	2978.0	21	GKE 20/8 GE	3903.8	51	PMC SB 5/50 FS 251-300	4651.7	17
SB 6/10 FW	2989.0	20	GKE 25/12 SI	3904.0	51	PMC SB 5/50 FS 301-350	4652.7	17
SB 6/10 FS	2990.0	21	GKE 25/12 WS	3904.7	51	PMC SB 5/50 FS 351-400	4653.7	17
SB 5/10 GW F	2991.0	21	GKE 25/12 GE	3904.8	51	PMC SB 5/50 FS 401-450	4654.7	17
SB 6/10 GW F	2992.0	21	GKE 26/10 SI	3905.0	51	PMC SB 5/50 FS 451-500	4655.7	17
MC SB 5/200 white	3300.7	16	GKE 26/10 WS	3905.7	51	PMC SB 5/50 FS 501-550	4656.7	17
MC SB 6/200 white	3301.7	16	GKE 26/10 GE	3905.8	51	PMC SB 5/50 FS 551-600	4657.7	17
MC KMS 15/24 white	3302.7	29	GKE 26.5/17.5 SI	3906.0	51	PMC SB 5/50 FS 601-650	4658.7	17
MC KMS 10/23 white	3303.7	29	GKE 30/20 SI	3907.0	51	PMC SB 5/50 FS 651-700	4659.7	17
MC KMS 14/23 white	3304.7	29	GKE 30/20 WS	3907.7	51	PMC SB 5/50 FS 701-750	4660.7	17
MC KMS 11/60 white	3305.7	29	GKE 30/20 GE	3907.8	51	PMC SB 5/50 FS 751-800	4661.7	17
MC BSTR 5/144 white	3309.7	16	GKE 32/9 SI	3908.0	51	PMC SB 5/50 FS 801-850	4662.7	17
MC BSTR 5/144 MI white	3310.7	16	GKE 32/9 WS	3908.7	51	PMC SB 5/50 FS 851-900	4663.7	17
MC BSTR 6/120 white	3314.7	16	GKE 32/9 GE	3908.8	51	PMC SB 5/50 FS L1, L2, L3, N, PE	4664.7	17
MC ESS 12/64 white	3316.7	29	GKE 38/19 SI	3909.0	51	PMC SB 5/50 FS U1, V1, W1, N, PE	4665.7	17
MC ESS 15/80 white	3317.7	29	GKE 38/19 WS	3909.7	51	PMC SB 5/50 FS U1, V1, W1	4666.7	17
MC ESS 18/64 white	3318.7	29	GKE 38/19 GE	3909.8	51	PMC SB 5/50 FS U2, V2, W2, N, PE	4667.7	17
MC ESS 20/80 white	3319.7	29	GKE 45/23 SI	3910.0	51	PMC SB 5/50 FS U2, V2, W2	4668.7	17
MC GS 8/17 R white	3320.7	47	GKE 45/23 WS	3910.7	51	PMC SB 5/50 FS X1-X10	4669.7	17
MC GS 8/17 R t white	3321.7	47	GKE 45/23 GE	3910.8	51	PMC SB 5/50 GW 1	4670.7	17
MC GS 8/19 R white	3322.7	47	GKE 65/35 SI	3911.0	51	PMC SB 5/50 GW 2	4671.7	17
MC GS 9/17 K white	3323.7	47	GKE 65/35 WS	3911.7	51	PMC SB 5/50 GW 3	4672.7	17
MC GS 9/20 R white	3324.7	47	GKE 65/35 GE	3911.8	51	PMC SB 5/50 GW 4	4673.7	17
MC SB 7.5/160 white	3326.7	16	GKE 101/48 SI	3912.0	51	PMC SB 5/50 GW 5	4674.7	17
PMC SB 7.5/40 Special print	3327.7	16	GKE 101/74 SI	3913.0	51	PMC SB 5/50 GW 6	4675.7	18
MC SB 8/160 white	3328.7	16	GKE 10/7 GE	3914.8	51	PMC SB 5/50 GW 7	4676.7	18
MC GS 7/20 R turquoise	3329.0	47	GKE 21.5/21.5 SI	3915.0	51	PMC SB 5/50 GW 8	4677.7	18
MC GS 7/20 R white	3329.7	47	GKE 27/27 SI	3916.0	51	PMC SB 5/50 GW 9	4678.7	18
MC GS 7/20 R yellow	3329.8	47	GKE 30/6 WS	3917.7	51	PMC SB 5/50 GW 0	4679.7	18
MC GS 8/17 R white Special print	3330.7	47	KKE 34/18 WS	3950.7	45	PMC SB 5/50 GW X	4680.7	18
MC GS 8/17 R t white Special print	3331.7	47	KKE 34/18 GE	3950.8	45	PMC SB 5/50 GW PE	4681.7	18
MC GS 8/19 R white Special print	3332.7	47	KKE 76/25 WS	3951.7	45	PMC SB 5/50 GW L1	4682.7	18
MC GS 9/17 K white Special print	3333.7	47	KKE 76/25 GE	3951.8	45	PMC SB 5/50 GW L2	4683.7	18
MC GS 9/20 R white Special print	3334.7	47	KKE 93/36 WS	3952.7	45	PMC SB 5/50 GW L3	4684.7	18
MC GS 7/20 R white Special print	3335.7	47	KKE 93/36 GE	3952.8	45	PMC SB 5/50 GW N	4685.7	18
MC GST 27/12.5 R white	3336.7	48	KKE 140/25 WS	3953.7	45	PMC SB 5/50 GS 1	4686.7	18
MC GST 27/18 R white	3337.7	48	KKE 140/25 GE	3953.8	45	PMC SB 5/50 GS 2	4687.7	18
MC GST 27/27 R white	3338.7	48	KKE 55/23 WS	3954.7	45	PMC SB 5/50 GS 3	4688.7	18
MC GST 27/8 K white	3339.7	48	KKE 55/23 GE	3954.8	45	PMC SB 5/50 GS 4	4689.7	18
MC GST 27/8 R white	3340.7	48	KKE 35/25 WS	3955.7	45	PMC SB 5/50 GS 5	4690.7	18
MC GST 27/12.5 K white	3341.7	48	KKE 35/25 GE	3955.8	45	PMC SB 5/50 GS 6	4691.7	18
MC GST 27/18 K white	3342.7	48	PMC SB 5/50 neutral	4600.7	16	PMC SB 5/50 GS 7	4692.7	18
MC GST 27/27 K white	3343.7	48	PMC SB 5/50 FW 1-10	4601.7	17	PMC SB 5/50 GS 8	4693.7	18
MC GST 22/22 K white	3344.7	48	PMC SB 5/50 FW 11-20	4602.7	17	PMC SB 5/50 GS 9	4694.7	18
MC GST 27/12.5 R white Special print	3345.7	48	PMC SB 5/50 FW 21-30	4603.7	17	PMC SB 5/50 GS 0	4695.7	18
MC GST 27/18 R white Special print	3346.7	48	PMC SB 5/50 FW 31-40	4604.7	17	PMC SB 5/50 GS X	4696.7	18
MC GST 27/27 R white Special print	3347.7	48	PMC SB 5/50 FW 41-50	4605.7	17	PMC SB 5/50 GS PE	4697.7	18
MC GST 27/8 R white Special print	3348.7	48	PMC SB 5/50 FW 51-60	4606.7	17	PMC SB 5/50 GS L1	4698.7	18
MC GST 27/8 K white Special print	3349.7	48	PMC SB 5/50 FW 61-70	4607.7	17	PMC SB 5/50 GS L2	4699.7	18
MC GST 27/12.5 K white Special print	3350.7	48	PMC SB 5/50 FW 71-80	4608.7	17	PMC SB 5/50 GS L3	4700.7	18
MC GST 27/18 K white Special print	3351.7	48	PMC SB 5/50 FW 81-90	4609.7	17	PMC SB 5/50 GS N	4701.7	18
MC GST 27/27 K white Special print	3352.7	48	PMC SB 5/50 FW 91-100	4610.7	17	PMC SB 6/50 neutral	4702.7	16
MC GST 22/22 K white Special print	3353.7	48	PMC SB 5/50 FW 1-50	4611.7	17	PMC SB 6/50 FW 1-10	4703.7	18
MC KMS 15/24 white Special print	3360.7	29	PMC SB 5/50 FW 51-100	4612.7	17	PMC SB 6/50 FW 11-20	4704.7	18
MC KMS 10/23 white Special print	3361.7	29	PMC SB 5/50 FW 101-150	4613.7	17	PMC SB 6/50 FW 21-30	4705.7	18
MC KMS 14/23 white Special print	3362.7	29	PMC SB 5/50 FW 151-200	4614.7	17	PMC SB 6/50 FW 31-40	4706.7	18
MC KMS 11/60 white Special print	3363.7	29	PMC SB 5/50 FW 201-250	4615.7	17	PMC SB 6/50 FW 41-50	4707.7	18

Type	Cat. no.	Site	Type	Cat. no.	Site	Type	Cat. no.	Site
PMC SB 6/50 FW 51-60	4708.7	18	PMC SB 6/50 GS L1	4800.7	18	PMC SB 4/50 FS X1-X10	4892.7	17
PMC SB 6/50 FW 61-70	4709.7	18	PMC SB 6/50 GS L2	4801.7	18	PMC SB 4/50 FS 1, 3, 5-19	4893.7	17
PMC SB 6/50 FW 71-80	4710.7	18	PMC SB 6/50 GS L3	4802.7	18	PMC SB 4/50 FS 2, 4, 6-20	4894.7	17
PMC SB 6/50 FW 81-90	4711.7	18	PMC SB 6/50 GS N	4803.7	18	PMC SB 4/50 GW 1	4895.7	17
PMC SB 6/50 FW 91-100	4712.7	18	PMC SB 6/50 GS -	4804.7	18	PMC SB 4/50 GW 2	4896.7	17
PMC SB 6/50 FW 1-50	4713.7	18	PMC SB 6/50 GW -	4805.7	18	PMC SB 4/50 GW 3	4897.7	17
PMC SB 6/50 FW 51-100	4714.7	18	PMC SB 6/50 GW +	4806.7	18	PMC SB 4/50 GW 4	4898.7	17
PMC SB 6/50 FW 101-150	4715.7	18	PMC SB 6/50 FS 2, 4, 6-20	4807.7	18	PMC SB 4/50 GW 5	4899.7	17
PMC SB 6/50 FW 151-200	4716.7	18	PMC SB 6/50 FS 1, 3, 5-19	4808.7	18	KH 02/12	4900.0	30
PMC SB 6/50 FW 201-250	4717.7	18	PMC SB 6/50 FW 2, 4, 6-20	4809.7	18	KH 02/15	4901.0	30
PMC SB 6/50 FW 251-300	4718.7	18	PMC SB 6/50 FW 1, 3, 5-19	4810.7	18	KH 02/18	4902.0	30
PMC SB 6/50 FW 301-350	4719.7	18	PMC SB 6/50 Special print	4811.7	18	KH 02/21	4903.0	30
PMC SB 6/50 FW 351-400	4720.7	18	PMC SB 5/50 GS -	4812.7	18	KH 10/12	4904.0	30
PMC SB 6/50 FW 401-450	4721.7	18	PMC SB 5/50 GW -	4813.7	18	KH 10/15	4905.0	30
PMC SB 6/50 FW 451-500	4722.7	18	PMC SB 5/50 GW +	4814.7	18	KH 10/18	4906.0	30
PMC SB 6/50 FW 501-550	4723.7	18	PMC SB 5/50 FS 2, 4, 6-20	4815.7	18	KH 10/21	4907.0	30
PMC SB 6/50 FW 551-600	4724.7	18	PMC SB 5/50 FS 1, 3, 5-19	4816.7	18	KH 20/12	4908.0	30
PMC SB 6/50 FW 601-650	4725.7	18	PMC SB 5/50 FW 2, 4, 6-20	4817.7	18	KH 20/15	4909.0	30
PMC SB 6/50 FW 651-700	4726.7	18	PMC SB 5/50 FW 1, 3, 5-19	4818.7	18	KH 20/18	4910.0	30
PMC SB 6/50 FW 701-750	4727.7	18	PMC SB 5/50 Special print	4819.7	17	KH 20/21	4911.0	30
PMC SB 6/50 FW 751-800	4728.7	18	PMC SB 4/50 neutral	4820.7	16	KH 30/12	4912.0	30
PMC SB 6/50 FW 801-850	4729.7	18	PMC SB 4/50 Special print	4821.7	17	KH 30/15	4913.0	30
PMC SB 6/50 FW 851-900	4730.7	18	PMC SB 4/50 FW 1-10	4822.7	17	KH 30/18	4914.0	30
PMC SB 6/50 FW 901-950	4731.7	18	PMC SB 4/50 FW 11-20	4823.7	17	KH 30/21	4915.0	30
PMC SB 6/50 FW L1, L2, L3, N, PE	4732.7	18	PMC SB 4/50 FW 21-30	4824.7	17	PMC SB 4/50 GW 6	4916.7	17
PMC SB 6/50 FW U1, V1, W1, N, PE	4733.7	18	PMC SB 4/50 FW 31-40	4825.7	17	PMC SB 4/50 GW 7	4917.7	17
PMC SB 6/50 FW U1, V1, W1	4734.7	18	PMC SB 4/50 FW 41-50	4826.7	17	PMC SB 4/50 GW 8	4918.7	17
PMC SB 6/50 FW U2, V2, W2, N, PE	4735.7	18	PMC SB 4/50 FW 51-60	4827.7	17	PMC SB 4/50 GW 9	4919.7	17
PMC SB 6/50 FW U2, V2, W2	4736.7	18	PMC SB 4/50 FW 61-70	4828.7	17	PMC SB 4/50 GW 0	4920.7	17
PMC SB 6/50 FW X1-X10	4737.7	18	PMC SB 4/50 FW 71-80	4829.7	17	PMC SB 4/50 GW X	4921.7	17
PMC SB 6/50 FS 1-10	4738.7	18	PMC SB 4/50 FW 81-90	4830.7	17	PMC SB 4/50 GW PE	4922.7	17
PMC SB 6/50 FS 11-20	4739.7	18	PMC SB 4/50 FW 91-100	4831.7	17	PMC SB 4/50 GW L1	4923.7	17
PMC SB 6/50 FS 21-30	4740.7	18	PMC SB 4/50 FW 1-50	4832.7	17	PMC SB 4/50 GW L2	4924.7	17
PMC SB 6/50 FS 31-40	4741.7	18	PMC SB 4/50 FW 51-100	4833.7	17	PMC SB 4/50 GW L3	4925.7	17
PMC SB 6/50 FS 41-50	4742.7	18	PMC SB 4/50 FW 101-150	4834.7	17	PMC SB 4/50 GW N	4926.7	17
PMC SB 6/50 FS 51-60	4743.7	18	PMC SB 4/50 FW 151-200	4835.7	17	PMC SB 4/50 GW +	4927.7	17
PMC SB 6/50 FS 61-70	4744.7	18	PMC SB 4/50 FW 201-250	4836.7	17	PMC SB 4/50 GW -	4928.7	17
PMC SB 6/50 FS 71-80	4745.7	18	PMC SB 4/50 FW 251-300	4837.7	17	PMC SB 4/50 GS 1	4929.7	17
PMC SB 6/50 FS 81-90	4746.7	18	PMC SB 4/50 FW 301-350	4838.7	17	PMC SB 4/50 GS 2	4930.7	17
PMC SB 6/50 FS 91-100	4747.7	18	PMC SB 4/50 FW 351-400	4839.7	17	PMC SB 4/50 GS 3	4931.7	17
PMC SB 6/50 FS 1-50	4748.7	18	PMC SB 4/50 FW 401-450	4840.7	17	PMC SB 4/50 GS 4	4932.7	17
PMC SB 6/50 FS 51-100	4749.7	18	PMC SB 4/50 FW 451-500	4841.7	17	PMC SB 4/50 GS 5	4933.7	17
PMC SB 6/50 FS 101-150	4750.7	18	PMC SB 4/50 FW 501-550	4842.7	17	PMC SB 4/50 GS 6	4934.7	17
PMC SB 6/50 FS 151-200	4751.7	18	PMC SB 4/50 FW 551-600	4843.7	17	PMC SB 4/50 GS 7	4935.7	17
PMC SB 6/50 FS 201-250	4752.7	18	PMC SB 4/50 FW 601-650	4844.7	17	PMC SB 4/50 GS 8	4936.7	17
PMC SB 6/50 FS 251-300	4753.7	18	PMC SB 4/50 FW 651-700	4845.7	17	PMC SB 4/50 GS 9	4937.7	17
PMC SB 6/50 FS 301-350	4754.7	18	PMC SB 4/50 FW 701-750	4846.7	17	PMC SB 4/50 GS 0	4938.7	17
PMC SB 6/50 FS 351-400	4755.7	18	PMC SB 4/50 FW 751-800	4847.7	17	PMC SB 4/50 GS X	4939.7	17
PMC SB 6/50 FS 401-450	4756.7	18	PMC SB 4/50 FW 801-850	4848.7	17	PMC SB 4/50 GS PE	4940.7	17
PMC SB 6/50 FS 451-500	4757.7	18	PMC SB 4/50 FW 851-900	4849.7	17	PMC SB 4/50 GS L1	4941.7	17
PMC SB 6/50 FS 501-550	4758.7	18	PMC SB 4/50 FW 901-950	4850.7	17	PMC SB 4/50 GS L2	4942.7	17
PMC SB 6/50 FS 551-600	4759.7	18	PMC SB 4/50 FW L1, L2, L3, N, PE	4851.7	17	PMC SB 4/50 GS L3	4943.7	17
PMC SB 6/50 FS 601-650	4760.7	18	PMC SB 4/50 FW U1, V1, W1, N, PE	4852.7	17	PMC SB 4/50 GS N	4944.7	17
PMC SB 6/50 FS 651-700	4761.7	18	PMC SB 4/50 FW U1, V1, W1	4853.7	17	PMC SB 4/50 GS -	4945.7	17
PMC SB 6/50 FS 701-750	4762.7	18	PMC SB 4/50 FW U2, V2, W2, N, PE	4854.7	17	MC SB 4/200 white	4946.7	16
PMC SB 6/50 FS 751-800	4763.7	18	PMC SB 4/50 FW U2, V2, W2	4855.7	17	KHZ 02/12	5984.0	31
PMC SB 6/50 FS 801-850	4764.7	18	PMC SB 4/50 FW X1-X10	4856.7	17	KHZ 02/15	5985.0	31
PMC SB 6/50 FS 851-900	4765.7	18	PMC SB 4/50 FW 1, 3, 5-19	4857.7	17	KHZ 02/18	5986.0	31
PMC SB 6/50 FS L1, L2, L3, N, PE	4766.7	18	PMC SB 4/50 FW 2, 4, 6-20	4858.7	17	KHZ 02/21	5987.0	31
PMC SB 6/50 FS U1, V1, W1, N, PE	4767.7	18	PMC SB 4/50 FS 1-10	4859.7	17	KHZ 10/12	5988.0	31
PMC SB 6/50 FS U1, V1, W1	4768.7	18	PMC SB 4/50 FS 11-20	4860.7	17	KHZ 10/15	5989.0	31
PMC SB 6/50 FS U2, V2, W2, N, PE	4769.7	18	PMC SB 4/50 FS 21-30	4861.7	17	KHZ 10/18	5990.0	31
PMC SB 6/50 FS U2, V2, W2	4770.7	18	PMC SB 4/50 FS 31-40	4862.7	17	KHZ 10/21	5991.0	31
PMC SB 6/50 FS X1-X10	4771.7	18	PMC SB 4/50 FS 41-50	4863.7	17	KHZ 20/12	5992.0	31
PMC SB 6/50 GW 1	4772.7	18	PMC SB 4/50 FS 51-60	4864.7	17	KHZ 20/15	5993.0	31
PMC SB 6/50 GW 2	4773.7	18	PMC SB 4/50 FS 61-70	4865.7	17	KHZ 20/18	5994.0	31
PMC SB 6/50 GW 3	4774.7	18	PMC SB 4/50 FS 71-80	4866.7	17	KHZ 20/21	5995.0	31
PMC SB 6/50 GW 4	4775.7	18	PMC SB 4/50 FS 81-90	4867.7	17	KHZ 30/12	5996.0	31
PMC SB 6/50 GW 5	4776.7	18	PMC SB 4/50 FS 91-100	4868.7	17	KHZ 30/15	5997.0	31
PMC SB 6/50 GW 6	4777.7	18	PMC SB 4/50 FS 1-50	4869.7	17	KHZ 30/18	5998.0	31
PMC SB 6/50 GW 7	4778.7	18	PMC SB 4/50 FS 51-100	4870.7	17	KHZ 30/21	5999.0	31
PMC SB 6/50 GW 8	4779.7	18	PMC SB 4/50 FS 101-150	4871.7	17	GKE 17/9 GE A4	88517.0	51
PMC SB 6/50 GW 9	4780.7	18	PMC SB 4/50 FS 151-200	4872.7	17	CCI-17	88520.0	54
PMC SB 6/50 GW 0	4781.7	18	PMC SB 4/50 FS 201-250	4873.7	17	CCI-18	88520.1	54
PMC SB 6/50 GW X	4782.7	18	PMC SB 4/50 FS 251-300	4874.7	17	CCI-19	88520.2	54
PMC SB 6/50 GW PE	4783.7	18	PMC SB 4/50 FS 301-350	4875.7	17	Partex Inlay for PC 10/ PC 20	88520.3	55
PMC SB 6/50 GW L1	4784.7	18	PMC SB 4/50 FS 351-400	4876.7	17	Partex Inlay for PC 30 / PC 40	88520.4	55
PMC SB 6/50 GW L2	4785.7	18	PMC SB 4/50 FS 401-450	4877.7	17	Partex Inlay for PC 50	88520.6	55
PMC SB 6/50 GW L3	4786.7	18	PMC SB 4/50 FS 451-500	4878.7	17	CCI-16	88520.7	54
PMC SB 6/50 GW N	4787.7	18	PMC SB 4/50 FS 501-550	4879.7	17	CCI-15	88520.8	54
PMC SB 6/50 GS 1	4788.7	18	PMC SB 4/50 FS 551-600	4880.7	17	Phoenix Inlay for ZBM	88521.0	55
PMC SB 6/50 GS 2	4789.7	18	PMC SB 4/50 FS 601-650	4881.7	17	Phoenix Inlay for ZB	88521.1	55
PMC SB 6/50 GS 3	4790.7	18	PMC SB 4/50 FS 651-700	4882.7	17	Phoenix Inlay for ZBN	88521.2	55
PMC SB 6/50 GS 4	4791.7	18	PMC SB 4/50 FS 701-750	4883.7	17	Phoenix Inlay for ZBFM	88521.3	55
PMC SB 6/50 GS 5	4792.7	18	PMC SB 4/50 FS 751-800	4884.7	17	Phoenix Inlay for ZBF	88521.4	55
PMC SB 6/50 GS 6	4793.7	18	PMC SB 4/50 FS 801-850	4885.7	17	Phoenix Inlay for BNZ	88521.5	55
PMC SB 6/50 GS 7	4794.7	18	PMC SB 4/50 FS 851-900	4886.7	17	Phoenix Inlay for BN-ZB	88521.6	55
PMC SB 6/50 GS 8	4795.7	18	PMC SB 4/50 FS L1, L2, L3, N, PE	4887.7	17	Phoenix Inlay for SS-ZB	88521.7	55
PMC SB 6/50 GS 9	4796.7	18	PMC SB 4/50 FS U1, V1, W1, N, PE	4888.7	17	Phoenix Inlay for LBHZ	88521.8	55
PMC SB 6/50 GS 0	4797.7	18	PMC SB 4/50 FS U1, V1, W1	4889.7	17	Phoenix Inlay for PABA	88521.9	55
PMC SB 6/50 GS X	4798.7	18	PMC SB 4/50 FS U2, V2, W2, N, PE	4890.7	17	Phoenix Inlay for GPE	88522.0	55
PMC SB 6/50 GS PE	4799.7	18	PMC SB 4/50 FS U2, V2, W2	4891.7	17	Phoenix Inlay for BMK, ESL sheets of labels	88522.1	55

Type	Cat. no.	Site	Type	Cat. no.	Site	Type	Cat. no.	Site
Wago Inlay for WMB	88522.2	55	PMC BSTR 5/36 GW L2	9084.7	19	PMC BSTR 6/30 FS X1-X10	9176.7	19
Wago Inlay for WSB 4	88522.3	55	PMC BSTR 5/36 GW L3	9085.7	19	PMC BSTR 6/30 GW 1	9177.7	19
Wago Inlay for WSB 5	88522.4	55	PMC BSTR 5/36 GW N	9086.7	19	PMC BSTR 6/30 GW 2	9178.7	19
Wago Inlay for WSB mini	88522.5	55	PMC BSTR 5/36 GW +	9087.7	19	PMC BSTR 6/30 GW 3	9179.7	19
Wago Inlay for Top Job 5	88522.6	55	PMC BSTR 5/36 GW -	9088.7	19	PMC BSTR 6/30 GW 4	9180.7	19
Weidmüller Inlay for MC Universal	88522.7	55	PMC BSTR 5/36 GS 1	9089.7	19	PMC BSTR 6/30 GW 5	9181.7	19
Weidmüller Inlay for MC SF4-6	88522.8	55	PMC BSTR 5/36 GS 2	9090.7	19	PMC BSTR 6/30 GW 6	9182.7	19
Siemens Inlay for S7-300/16/32	88522.9	55	PMC BSTR 5/36 GS 3	9091.7	19	PMC BSTR 6/30 GW 7	9183.7	19
PMC BSTR 5/36 neutral	9000.7	16	PMC BSTR 5/36 GS 4	9092.7	19	PMC BSTR 6/30 GW 8	9184.7	19
PMC BSTR 5/36 Special print	9001.7	19	PMC BSTR 5/36 GS 5	9093.7	19	PMC BSTR 6/30 GW 9	9185.7	19
PMC BSTR 5/36 FW 1-12	9002.7	19	PMC BSTR 5/36 GS 6	9094.7	19	PMC BSTR 6/30 GW 0	9186.7	19
PMC BSTR 5/36 FW 13-24	9003.7	19	PMC BSTR 5/36 GS 7	9095.7	19	PMC BSTR 6/30 GW X	9187.7	19
PMC BSTR 5/36 FW 25-36	9004.7	19	PMC BSTR 5/36 GS 8	9096.7	19	PMC BSTR 6/30 GW PE	9188.7	19
PMC BSTR 5/36 FW 37-48	9005.7	19	PMC BSTR 5/36 GS 9	9097.7	19	PMC BSTR 6/30 GW L1	9189.7	19
PMC BSTR 5/36 FW 49-60	9006.7	19	PMC BSTR 5/36 GS 0	9098.7	19	PMC BSTR 6/30 GW L2	9190.7	19
PMC BSTR 5/36 FW 61-72	9007.7	19	PMC BSTR 5/36 GS X	9099.7	19	PMC BSTR 6/30 GW L3	9191.7	19
PMC BSTR 5/36 FW 73-84	9008.7	19	PMC BSTR 5/36 GS PE	9100.7	19	PMC BSTR 6/30 GW N	9192.7	19
PMC BSTR 5/36 FW 85-96	9009.7	19	PMC BSTR 5/36 GS L1	9101.7	19	PMC BSTR 6/30 GW +	9193.7	19
PMC BSTR 5/36 FW 97-108	9010.7	19	PMC BSTR 5/36 GS L2	9102.7	19	PMC BSTR 6/30 GW -	9194.7	19
PMC BSTR 5/36 FW 109-120	9011.7	19	PMC BSTR 5/36 GS L3	9103.7	19	PMC BSTR 6/30 GS 1	9195.7	19
PMC BSTR 5/36 FW 1-36	9012.7	19	PMC BSTR 5/36 GS N	9104.7	19	PMC BSTR 6/30 GS 2	9196.7	19
PMC BSTR 5/36 FW 37-72	9013.7	19	PMC BSTR 5/36 GS -	9105.7	19	PMC BSTR 6/30 GS 3	9197.7	19
PMC BSTR 5/36 FW 73-108	9014.7	19	PMC BSTR 6/30 neutral	9106.7	16	PMC BSTR 6/30 GS 4	9198.7	19
PMC BSTR 5/36 FW 109-144	9015.7	19	PMC BSTR 6/30 Special print	9107.7	19	PMC BSTR 6/30 GS 5	9199.7	19
PMC BSTR 5/36 FW 145-180	9016.7	19	PMC BSTR 6/30 FW 1-10	9108.7	19	PMC BSTR 6/30 GS 6	9200.7	19
PMC BSTR 5/36 FW 181-216	9017.7	19	PMC BSTR 6/30 FW 11-20	9109.7	19	PMC BSTR 6/30 GS 7	9201.7	19
PMC BSTR 5/36 FW 217-252	9018.7	19	PMC BSTR 6/30 FW 21-30	9110.7	19	PMC BSTR 6/30 GS 8	9202.7	19
PMC BSTR 5/36 FW 253-288	9019.7	19	PMC BSTR 6/30 FW 31-40	9111.7	19	PMC BSTR 6/30 GS 9	9203.7	19
PMC BSTR 5/36 FW 289-324	9020.7	19	PMC BSTR 6/30 FW 41-50	9112.7	19	PMC BSTR 6/30 GS 0	9204.7	19
PMC BSTR 5/36 FW 325-360	9021.7	19	PMC BSTR 6/30 FW 51-60	9113.7	19	PMC BSTR 6/30 GS X	9205.7	19
PMC BSTR 5/36 FW 361-396	9022.7	19	PMC BSTR 6/30 FW 61-70	9114.7	19	PMC BSTR 6/30 GS PE	9206.7	19
PMC BSTR 5/36 FW 397-432	9023.7	19	PMC BSTR 6/30 FW 71-80	9115.7	19	PMC BSTR 6/30 GS L1	9207.7	19
PMC BSTR 5/36 FW 433-468	9024.7	19	PMC BSTR 6/30 FW 81-90	9116.7	19	PMC BSTR 6/30 GS L2	9208.7	19
PMC BSTR 5/36 FW 469-504	9025.7	19	PMC BSTR 6/30 FW 91-100	9117.7	19	PMC BSTR 6/30 GS L3	9209.7	19
PMC BSTR 5/36 FW 505-540	9026.7	19	PMC BSTR 6/30 FW 1-30	9118.7	19	PMC BSTR 6/30 GS N	9210.7	19
PMC BSTR 5/36 FW 541-576	9027.7	19	PMC BSTR 6/30 FW 31-60	9119.7	19	PMC BSTR 6/30 GS -	9211.7	19
PMC BSTR 5/36 FW 577-612	9028.7	19	PMC BSTR 6/30 FW 61-90	9120.7	19	PMC SB 6/50 FW 101-110	9212.7	18
PMC BSTR 5/36 FW 613-648	9029.7	19	PMC BSTR 6/30 FW 91-120	9121.7	19	PMC SB 6/50 FW 111-120	9213.7	18
PMC BSTR 5/36 FW 649-684	9030.7	19	PMC BSTR 6/30 FW 121-150	9122.7	19	PMC SB 6/50 FW 121-130	9214.7	18
PMC BSTR 5/36 FW L1, L2, L3, N, PE	9031.7	19	PMC BSTR 6/30 FW 151-180	9123.7	19	PMC SB 6/50 FW 131-140	9215.7	18
PMC BSTR 5/36 FW U1, V1, W1, N, PE	9032.7	19	PMC BSTR 6/30 FW 181-210	9124.7	19	PMC SB 6/50 FW 141-150	9216.7	18
PMC BSTR 5/36 FW U1, V1, W1	9033.7	19	PMC BSTR 6/30 FW 211-240	9125.7	19	PMC SB 6/50 FW 151-160	9217.7	18
PMC BSTR 5/36 FW U2, V2, W2, N, PE	9034.7	19	PMC BSTR 6/30 FW 241-270	9126.7	19	PMC SB 6/50 FW 161-170	9218.7	18
PMC BSTR 5/36 FW U2, V2, W2	9035.7	19	PMC BSTR 6/30 FW 271-300	9127.7	19	PMC SB 6/50 FW 171-180	9219.7	18
PMC BSTR 5/36 FW X1-X12	9036.7	19	PMC BSTR 6/30 FW 301-330	9128.7	19	PMC SB 6/50 FW 181-190	9220.7	18
PMC BSTR 5/36 FS 1-12	9037.7	19	PMC BSTR 6/30 FW 331-360	9129.7	19	PMC SB 6/50 FW 191-200	9221.7	18
PMC BSTR 5/36 FS 13-24	9038.7	19	PMC BSTR 6/30 FW 361-390	9130.7	19	PMC SB 6/50 FW 201-210	9222.7	18
PMC BSTR 5/36 FS 25-36	9039.7	19	PMC BSTR 6/30 FW 391-420	9131.7	19	PMC SB 6/50 FW 211-220	9223.7	18
PMC BSTR 5/36 FS 37-48	9040.7	19	PMC BSTR 6/30 FW 421-450	9132.7	19	PMC SB 6/50 FW 221-230	9224.7	18
PMC BSTR 5/36 FS 49-60	9041.7	19	PMC BSTR 6/30 FW 451-480	9133.7	19	PMC SB 6/50 FW 231-240	9225.7	18
PMC BSTR 5/36 FS 61-72	9042.7	19	PMC BSTR 6/30 FW 481-510	9134.7	19	PMC SB 6/50 FW 241-250	9226.7	18
PMC BSTR 5/36 FS 73-84	9043.7	19	PMC BSTR 6/30 FW 511-540	9135.7	19	PMC SB 6/50 FW 251-260	9227.7	18
PMC BSTR 5/36 FS 85-96	9044.7	19	PMC BSTR 6/30 FW 541-570	9136.7	19	PMC SB 6/50 FW 261-270	9228.7	18
PMC BSTR 5/36 FS 97-108	9045.7	19	PMC BSTR 6/30 FW L1, L2, L3, N, PE	9137.7	19	PMC SB 6/50 FW 271-280	9229.7	18
PMC BSTR 5/36 FS 109-120	9046.7	19	PMC BSTR 6/30 FW U1, V1, W1, N, PE	9138.7	19	PMC SB 6/50 FW 281-290	9230.7	18
PMC BSTR 5/36 FS 1-36	9047.7	19	PMC BSTR 6/30 FW U1, V1, W1	9139.7	19	PMC SB 6/50 FW 291-300	9231.7	18
PMC BSTR 5/36 FS 37-72	9048.7	19	PMC BSTR 6/30 FW U2, V2, W2, N, PE	9140.7	19	PMC SB 6/50 FW 301-310	9232.7	18
PMC BSTR 5/36 FS 73-108	9049.7	19	PMC BSTR 6/30 FW U2, V2, W2	9141.7	19	PMC SB 6/50 FW 311-320	9233.7	18
PMC BSTR 5/36 FS 109-144	9050.7	19	PMC BSTR 6/30 FW X1-X10	9142.7	19	PMC SB 6/50 FW 321-330	9234.7	18
PMC BSTR 5/36 FS 145-180	9051.7	19	PMC BSTR 6/30 FS 1-10	9143.7	19	PMC SB 6/50 FW 331-340	9235.7	18
PMC BSTR 5/36 FS 181-216	9052.7	19	PMC BSTR 6/30 FS 11-20	9144.7	19	PMC SB 6/50 FW 341-350	9236.7	18
PMC BSTR 5/36 FS 217-252	9053.7	19	PMC BSTR 6/30 FS 21-30	9145.7	19	PMC SB 6/50 FW 351-360	9237.7	18
PMC BSTR 5/36 FS 253-288	9054.7	19	PMC BSTR 6/30 FS 31-40	9146.7	19	PMC SB 6/50 FW 361-370	9238.7	18
PMC BSTR 5/36 FS 289-324	9055.7	19	PMC BSTR 6/30 FS 41-50	9147.7	19	PMC SB 6/50 FW 371-380	9239.7	18
PMC BSTR 5/36 FS 325-360	9056.7	19	PMC BSTR 6/30 FS 51-60	9148.7	19	PMC SB 6/50 FW 381-390	9240.7	18
PMC BSTR 5/36 FS 361-396	9057.7	19	PMC BSTR 6/30 FS 61-70	9149.7	19	PMC SB 6/50 FW 391-400	9241.7	18
PMC BSTR 5/36 FS 397-432	9058.7	19	PMC BSTR 6/30 FS 71-80	9150.7	19	PMC SB 6/50 FW 401-410	9242.7	18
PMC BSTR 5/36 FS 433-468	9059.7	19	PMC BSTR 6/30 FS 81-90	9151.7	19	PMC SB 6/50 FW 411-420	9243.7	18
PMC BSTR 5/36 FS 469-504	9060.7	19	PMC BSTR 6/30 FS 91-100	9152.7	19	PMC SB 6/50 FW 421-430	9244.7	18
PMC BSTR 5/36 FS 505-540	9061.7	19	PMC BSTR 6/30 FS 1-30	9153.7	19	PMC SB 6/50 FW 431-440	9245.7	18
PMC BSTR 5/36 FS 541-576	9062.7	19	PMC BSTR 6/30 FS 31-60	9154.7	19	PMC SB 6/50 FW 441-450	9246.7	18
PMC BSTR 5/36 FS 577-612	9063.7	19	PMC BSTR 6/30 FS 61-90	9155.7	19	PMC SB 6/50 FW 451-460	9247.7	18
PMC BSTR 5/36 FS 613-648	9064.7	19	PMC BSTR 6/30 FS 91-120	9156.7	19	PMC SB 6/50 FW 461-470	9248.7	18
PMC BSTR 5/36 FS L1, L2, L3, N, PE	9065.7	19	PMC BSTR 6/30 FS 121-150	9157.7	19	PMC SB 6/50 FW 471-480	9249.7	18
PMC BSTR 5/36 FS U1, V1, W1, N, PE	9066.7	19	PMC BSTR 6/30 FS 151-180	9158.7	19	PMC SB 6/50 FW 481-490	9250.7	18
PMC BSTR 5/36 FS U1, V1, W1	9067.7	19	PMC BSTR 6/30 FS 181-210	9159.7	19	PMC SB 6/50 FW 491-500	9251.7	18
PMC BSTR 5/36 FS U2, V2, W2, N, PE	9068.7	19	PMC BSTR 6/30 FS 211-240	9160.7	19	PMC SB 6/50 FW 501-510	9252.7	18
PMC BSTR 5/36 FS U2, V2, W2	9069.7	19	PMC BSTR 6/30 FS 241-270	9161.7	19	PMC SB 6/50 FW 511-520	9253.7	18
PMC BSTR 5/36 FS X1-X12	9070.7	19	PMC BSTR 6/30 FS 271-300	9162.7	19	PMC SB 6/50 FW 521-530	9254.7	18
PMC BSTR 5/36 GW 1	9071.7	19	PMC BSTR 6/30 FS 301-330	9163.7	19	PMC SB 6/50 FW 531-540	9255.7	18
PMC BSTR 5/36 GW 2	9072.7	19	PMC BSTR 6/30 FS 331-360	9164.7	19	PMC SB 6/50 FW 541-550	9256.7	18
PMC BSTR 5/36 GW 3	9073.7	19	PMC BSTR 6/30 FS 361-390	9165.7	19	PMC SB 6/50 FW 551-560	9257.7	18
PMC BSTR 5/36 GW 4	9074.7	19	PMC BSTR 6/30 FS 391-420	9166.7	19	PMC SB 6/50 FW 561-570	9258.7	18
PMC BSTR 5/36 GW 5	9075.7	19	PMC BSTR 6/30 FS 421-450	9167.7	19	PMC SB 6/50 FW 571-580	9259.7	18
PMC BSTR 5/36 GW 6	9076.7	19	PMC BSTR 6/30 FS 451-480	9168.7	19	PMC SB 6/50 FW 581-590	9260.7	18
PMC BSTR 5/36 GW 7	9077.7	19	PMC BSTR 6/30 FS 481-510	9169.7	19	PMC SB 6/50 FW 591-600	9261.7	18
PMC BSTR 5/36 GW 8	9078.7	19	PMC BSTR 6/30 FS 511-540	9170.7	19	PMC SB 6/50 FS 101-110	9262.7	18
PMC BSTR 5/36 GW 9	9079.7	19	PMC BSTR 6/30 FS L1, L2, L3, N, PE	9171.7	19	PMC SB 6/50 FS 111-120	9263.7	18
PMC BSTR 5/36 GW 0	9080.7	19	PMC BSTR 6/30 FS U1, V1, W1, N, PE	9172.7	19	PMC SB 6/50 FS 121-130	9264.7	18
PMC BSTR 5/36 GW X	9081.7	19	PMC BSTR 6/30 FS U1, V1, W1	9173.7	19	PMC SB 6/50 FS 131-140	9265.7	18
PMC BSTR 5/36 GW PE	9082.7	19	PMC BSTR 6/30 FS U2, V2, W2, N, PE	9174.7	19	PMC SB 6/50 FS 141-150	9266.7	18
PMC BSTR 5/36 GW L1	9083.7	19	PMC BSTR 6/30 FS U2, V2, W2	9175.7	19	PMC SB 6/50 FS 151-160	9267.7	18



Notes

---

