

CONTA-CONNECT MARKING SYSTEMS

CONTA-LABEL:


TERMINAL MARKERS

WIRE MARKERS

DEVICE MARKERS

PRINTERS

PRINTER SOFTWARE



Our ideas – to your advantage




Terminal Markers

Our extensive program of products is available with ready-to-use markers with standard and customised print (Pocket-Maxicard PMC); unprinted markers available in the classic Maxicard format MC, which allow customers to print their own markings with the EMS-2 plotter, as are marker holders and group marker holders in a variety of designs.

The table on pages 26 and 27 offers an overview of which markers can be snapped onto which terminals.

The grid spacing is the deciding factor when making the selection. With a terminal width of 5 mm, the marker must be 5 mm wide to enable strips of markers to be attached to the terminal. If the marker is to be attached to a terminal with a larger width then the strips must be separated into individual markers.



Terminal Markers

MC-Maxicard, PMC-Pocket-Maxicard

With the Pocket-Maxicard, **CONTA-CLIP** offers a marker with both standard and customised printed markings in a convenient format. The Maxicard is available as a neutral marker to facilitate convenient printing of markings using the EMS-2 plotter.



PMC SB 4/50 | MC SB 4/200

These are particularly suitable for short sequences of characters. They can be utilised for strip marking of all terminals with a width of 4 mm. As individual markers, they are suitable for all terminals with a module width greater than 4 mm.

PMC SB 6/50 | MC SB 6/200

These are particularly suitable for short sequences of characters. They can be utilised for strip marking of all terminals with a width of 6 mm. As individual markers, they are suitable for all terminals with a module width greater than 6 mm.

PMC SB 7.5/40 | MC SB 7.5/160

These are suitable for marking transformer terminals manufactured by **CONTA-CLIP**, Phoenix-Contact and Adels. They can be utilised for strip marking of all terminals with a width of 7.5 mm. As individual markers, they are suitable for all terminals with a module width greater than 7.5 mm.

PMC BSTR 6/30 | MC BSTR 6/120

These are particularly suitable for longer sequences of characters. They can be utilised for strip marking of all terminals with a width of 6 mm. As individual markers, they are suitable for all terminals with a module width greater than 6 mm.

PMC SB 5/50 | MC SB 5/200

These are particularly suitable for short sequences of characters. Their compact design makes them suitable to mark all terminal blocks made by **CONTA-CLIP** – with the exception of the 4-mm terminals. They are suitable for strip marking of all terminals with a width of 5 mm. As individual markers, they are suitable for all terminals with a module width greater than 5 mm.

PMC SB 8/40 | MC SB 8/160

These are particularly suitable for short sequences of characters. They are suitable for strip marking of all terminals with a width of 8 mm. As individual markers, they are suitable for all terminals with a module width greater than 8 mm.

PMC BSTR 5/36 (MI) | MC BSTR 5/144 (MI)

These are particularly suitable for longer sequences of characters. They are suitable for strip marking of all terminals with a width of 5 mm. As individual markers, they are suitable for all terminals with a module width greater than 5 mm.

The BSTR 5/... MI variants are fitted with a centrally positioned foot that is used when the standard BSTR markers cover the cross-connection channel.

Type Cat. no.	number of characters lines when using plotter font 16 and plotter pen 0.25	
	horizontal	vertical
PMC MC SB 4	2-digit 2-row	3-digit 1-row
PMC MC SB 5	3-digit 2-row	3-digit 2-row
PMC MC SB 6	3-digit 2-row	3-digit 2-row
PMC MC SB 7.5	4-digit 1-row	2-digit 3-row
PMC MC SB 8	5-digit 2-row	3-digit 3-row
PMC MC BSTR 5	2-digit 3-row	6-digit 2-row
PMC MC BSTR 5 MI	2-digit 3-row	6-digit 2-row
PMC MC BSTR 6	3-digit 3-row	8-digit 3-row

Terminal Markers

MC-Maxicard, PMC-Pocket-Maxicard



Maxicard – technical data and order information


Material	Polyamide 6.6, halogen-free
Flammability class	In accordance with UL 94-V2
Temperature range	-40 °C to +105 °C
Colours	PMC SB and BSTR available in 7 5 8 3 9 1
Package	Carton
Minimum order quantity	Neutral, standard and special print = 1 Qty.p.pck.
Special print	Please send ANS, *.WEK, *.WEC, *.WEA, *.WES, *.MAK, *.ELS, *.MPD, *.VER, *.TXT, * XLS files to customizedmarkers@conta-clip.de, orders printed on paper incur an extra charge to cover the cost of manual input
Print variants	FW = consecutive horizontal, FS = consecutive vertical, GW = identical horizontal, GS = identical vertical.

Please refer to page 13 for Maxicard technical data.

Cat. no.	Type	Size L x W (mm)	Number of markers card	Number of markers row	Qty.p.pck.
4946.7	MC SB 4/200 white	5 x 4	200	10	1000
4820.7	PMC SB 4/50 white	5 x 4	50	10	500
3300.7	MC SB 5/200 white	5 x 5	200	10	1000
4600.7	PMC SB 5/50 white	5 x 5	50	10	500
3301.7	MC SB 6/200 white	5 x 6	200	10	1000
4702.7	PMC SB 6/50 white	5 x 6	50	10	500
3326.7	MC SB 7.5/160 white	5 x 7.5	160	8	800
3327.7	PMC SB 7.5/40 white, special print	5 x 7.5	40	8	400
3328.7	MC SB 8/160 white	5 x 8	160	8	800
9323.7	PMC SB 8/40 white	5 x 8	40	8	400
3309.7	MC BSTR 5/144 white	10 x 5	144	12	720
9000.7	PMC BSTR 5/36 white	10 x 5	36	12	360
3310.7	MC BSTR 5/144 MI white	10 x 5	144	12	720
9324.7	PMC BSTR 5/36 MI white	10 x 5	36	12	360
3314.7	MC BSTR 6/120 white	12 x 6	120	10	600
9106.7	PMC BSTR 6/30 white	12 x 6	30	10	300

Terminal Markers


Pocket-Maxicard variants




PMC printed example FW
(consecutive horizontal)



PMC printed example FS
(consecutive vertical)



PMC printed example GW
(identical horizontal)



PMC printed example GS
(identical vertical)

Type	Cat. no.	Qty. marker	p.pck.	card	Type	Cat. no.	Qty. marker	p.pck.	card	Type	Cat. no.	Qty. marker	p.pck.	card
PMC SB 4/50 neutral	4820.7	500	50		PMC SB 4/50 FS 651-700	4882.7	500	50		PMC SB 5/50 FW 101-150	4613.7	500	50	
PMC SB 4/50 Special print	4821.7	500	50		PMC SB 4/50 FS 701-750	4883.7	500	50		PMC SB 5/50 FW 151-200	4614.7	500	50	
PMC SB 4/50 FW 1-10	4822.7	500	50		PMC SB 4/50 FS 751-800	4884.7	500	50		PMC SB 5/50 FW 201-250	4615.7	500	50	
PMC SB 4/50 FW 11-20	4823.7	500	50		PMC SB 4/50 FS 801-850	4885.7	500	50		PMC SB 5/50 FW 251-300	4616.7	500	50	
PMC SB 4/50 FW 21-30	4824.7	500	50		PMC SB 4/50 FS 851-900	4886.7	500	50		PMC SB 5/50 FW 301-350	4617.7	500	50	
PMC SB 4/50 FW 31-40	4825.7	500	50		PMC SB 4/50 FS L1,L2,L3,N,PE	4887.7	500	50		PMC SB 5/50 FW 351-400	4618.7	500	50	
PMC SB 4/50 FW 41-50	4826.7	500	50		PMC SB 4/50 FS U1,V1,W1,N,PE	4888.7	500	50		PMC SB 5/50 FW 401-450	4619.7	500	50	
PMC SB 4/50 FW 51-60	4827.7	500	50		PMC SB 4/50 FS U1,V1,W1	4889.7	500	50		PMC SB 5/50 FW 451-500	4620.7	500	50	
PMC SB 4/50 FW 61-70	4828.7	500	50		PMC SB 4/50 FS U2,V2,W2,N,PE	4890.7	500	50		PMC SB 5/50 FW 501-550	4621.7	500	50	
PMC SB 4/50 FW 71-80	4829.7	500	50		PMC SB 4/50 FS U2,V2,W2	4891.7	500	50		PMC SB 5/50 FW 551-600	4622.7	500	50	
PMC SB 4/50 FW 81-90	4830.7	500	50		PMC SB 4/50 FS X1-X10	4892.7	500	50		PMC SB 5/50 FW 601-650	4623.7	500	50	
PMC SB 4/50 FW 91-100	4831.7	500	50		PMC SB 4/50 FS 1.3,5-19	4893.7	500	50		PMC SB 5/50 FW 651-700	4624.7	500	50	
PMC SB 4/50 FW 1-50	4832.7	500	50		PMC SB 4/50 FS 2.4,6-20	4894.7	500	50		PMC SB 5/50 FW 701-750	4625.7	500	50	
PMC SB 4/50 FW 51-100	4833.7	500	50		PMC SB 4/50 GW 1	4895.7	500	50		PMC SB 5/50 FW 751-800	4626.7	500	50	
PMC SB 4/50 FW 101-150	4834.7	500	50		PMC SB 4/50 GW 2	4896.7	500	50		PMC SB 5/50 FW 801-850	4627.7	500	50	
PMC SB 4/50 FW 151-200	4835.7	500	50		PMC SB 4/50 GW 3	4897.7	500	50		PMC SB 5/50 FW 851-900	4628.7	500	50	
PMC SB 4/50 FW 201-250	4836.7	500	50		PMC SB 4/50 GW 4	4898.7	500	50		PMC SB 5/50 FW 901-950	4629.7	500	50	
PMC SB 4/50 FW 251-300	4837.7	500	50		PMC SB 4/50 GW 5	4899.7	500	50		PMC SB 5/50 FW L1,L2,L3,N,PE	4630.7	500	50	
PMC SB 4/50 FW 301-350	4838.7	500	50		PMC SB 4/50 GW 6	4916.7	500	50		PMC SB 5/50 FW U1,V1,W1,N,PE	4631.7	500	50	
PMC SB 4/50 FW 351-400	4839.7	500	50		PMC SB 4/50 GW 7	4917.7	500	50		PMC SB 5/50 FW U1,V1,W1	4632.7	500	50	
PMC SB 4/50 FW 401-450	4840.7	500	50		PMC SB 4/50 GW 8	4918.7	500	50		PMC SB 5/50 FW U2,V2,W2,N,PE	4633.7	500	50	
PMC SB 4/50 FW 451-500	4841.7	500	50		PMC SB 4/50 GW 9	4919.7	500	50		PMC SB 5/50 FW U2,V2,W2	4634.7	500	50	
PMC SB 4/50 FW 501-550	4842.7	500	50		PMC SB 4/50 GW 0	4920.7	500	50		PMC SB 5/50 FW X1-X10	4635.7	500	50	
PMC SB 4/50 FW 551-600	4843.7	500	50		PMC SB 4/50 GW X	4921.7	500	50		PMC SB 5/50 FS 1-10	4636.7	500	50	
PMC SB 4/50 FW 601-650	4844.7	500	50		PMC SB 4/50 GW PE	4922.7	500	50		PMC SB 5/50 FS 11-20	4637.7	500	50	
PMC SB 4/50 FW 651-700	4845.7	500	50		PMC SB 4/50 GW L1	4923.7	500	50		PMC SB 5/50 FS 21-30	4638.7	500	50	
PMC SB 4/50 FW 701-750	4846.7	500	50		PMC SB 4/50 GW L2	4924.7	500	50		PMC SB 5/50 FS 31-40	4639.7	500	50	
PMC SB 4/50 FW 751-800	4847.7	500	50		PMC SB 4/50 GW L3	4925.7	500	50		PMC SB 5/50 FS 41-50	4640.7	500	50	
PMC SB 4/50 FW 801-850	4848.7	500	50		PMC SB 4/50 GW N	4926.7	500	50		PMC SB 5/50 FS 51-60	4641.7	500	50	
PMC SB 4/50 FW 851-900	4849.7	500	50		PMC SB 4/50 GW +	4927.7	500	50		PMC SB 5/50 FS 61-70	4642.7	500	50	
PMC SB 4/50 FW 901-950	4850.7	500	50		PMC SB 4/50 GW -	4928.7	500	50		PMC SB 5/50 FS 71-80	4643.7	500	50	
PMC SB 4/50 FW L1,L2,L3,N,PE	4851.7	500	50		PMC SB 4/50 GS 1	4929.7	500	50		PMC SB 5/50 FS 81-90	4644.7	500	50	
PMC SB 4/50 FW U1,V1,W1,N,PE	4852.7	500	50		PMC SB 4/50 GS 2	4930.7	500	50		PMC SB 5/50 FS 91-100	4645.7	500	50	
PMC SB 4/50 FW U1,V1,W1	4853.7	500	50		PMC SB 4/50 GS 3	4931.7	500	50		PMC SB 5/50 FS 1-50	4646.7	500	50	
PMC SB 4/50 FW U2,V2,W2,N,PE	4854.7	500	50		PMC SB 4/50 GS 4	4932.7	500	50		PMC SB 5/50 FS 51-100	4647.7	500	50	
PMC SB 4/50 FW U2,V2,W2	4855.7	500	50		PMC SB 4/50 GS 5	4933.7	500	50		PMC SB 5/50 FS 101-150	4648.7	500	50	
PMC SB 4/50 FW X1-X10	4856.7	500	50		PMC SB 4/50 GS 6	4934.7	500	50		PMC SB 5/50 FS 151-200	4649.7	500	50	
PMC SB 4/50 FW 1.3,5-19	4857.7	500	50		PMC SB 4/50 GS 7	4935.7	500	50		PMC SB 5/50 FS 201-250	4650.7	500	50	
PMC SB 4/50 FW 2.4,6-20	4858.7	500	50		PMC SB 4/50 GS 8	4936.7	500	50		PMC SB 5/50 FS 251-300	4651.7	500	50	
PMC SB 4/50 FS 1-10	4859.7	500	50		PMC SB 4/50 GS 9	4937.7	500	50		PMC SB 5/50 FS 301-350	4652.7	500	50	
PMC SB 4/50 FS 11-20	4860.7	500	50		PMC SB 4/50 GS 0	4938.7	500	50		PMC SB 5/50 FS 351-400	4653.7	500	50	
PMC SB 4/50 FS 21-30	4861.7	500	50		PMC SB 4/50 GS X	4939.7	500	50		PMC SB 5/50 FS 401-450	4654.7	500	50	
PMC SB 4/50 FS 31-40	4862.7	500	50		PMC SB 4/50 GS PE	4940.7	500	50		PMC SB 5/50 FS 451-500	4655.7	500	50	
PMC SB 4/50 FS 41-50	4863.7	500	50		PMC SB 4/50 GS L1	4941.7	500	50		PMC SB 5/50 FS 501-550	4656.7	500	50	
PMC SB 4/50 FS 51-60	4864.7	500	50		PMC SB 4/50 GS L2	4942.7	500	50		PMC SB 5/50 FS 551-600	4657.7	500	50	
PMC SB 4/50 FS 61-70	4865.7	500	50		PMC SB 4/50 GS L3	4943.7	500	50		PMC SB 5/50 FS 601-650	4658.7	500	50	
PMC SB 4/50 FS 71-80	4866.7	500	50		PMC SB 4/50 GS N	4944.7	500	50		PMC SB 5/50 FS 651-700	4659.7	500	50	
PMC SB 4/50 FS 81-90	4867.7	500	50		PMC SB 4/50 GS -	4945.7	500	50		PMC SB 5/50 FS 701-750	4660.7	500	50	
PMC SB 4/50 FS 91-100	4868.7	500	50		PMC SB 5/50 neutral	4600.7	500	50		PMC SB 5/50 FS 751-800	4661.7	500	50	
PMC SB 4/50 FS 1-50	4869.7	500	50		PMC SB 5/50 Special print	4819.7	500	50		PMC SB 5/50 FS 801-850	4662.7	500	50	
PMC SB 4/50 FS 51-100	4870.7	500	50		PMC SB 5/50 FW 1-10	4601.7	500	50		PMC SB 5/50 FS 851-900	4663.7	500	50	
PMC SB 4/50 FS 101-150	4871.7	500	50		PMC SB 5/50 FW 11-20	4602.7	500	50		PMC SB 5/50 FS L1,L2,L3,N,PE	4664.7	500	50	
PMC SB 4/50 FS 151-200	4872.7	500	50		PMC SB 5/50 FW 21-30	4603.7	500	50		PMC SB 5/50 FS U1,V1,W1,N,PE	4665.7	500	50	
PMC SB 4/50 FS 201-250	4873.7	500	50		PMC SB 5/50 FW 31-40	4604.7	500	50		PMC SB 5/50 FS U1,V1,W1	4666.7	500	50	
PMC SB 4/50 FS 251-300	4874.7	500	50		PMC SB 5/50 FW 41-50	4605.7	500	50		PMC SB 5/50 FS U2,V2,W2,N,PE	4667.7	500	50	
PMC SB 4/50 FS 301-350	4875.7	500	50		PMC SB 5/50 FW 51-60	4606.7	500	50		PMC SB 5/50 FS U2,V2,W2	4668.7	500	50	
PMC SB 4/50 FS 351-400	4876.7	500	50		PMC SB 5/50 FW 61-70	4607.7	500	50		PMC SB 5/50 FS X1-X10	4669.7	500	50	
PMC SB 4/50 FS 401-450	4877.7	500	50		PMC SB 5/50 FW 71-80	4608.7	500	50		PMC SB 5/50 GW 1	4670.7	500	50	
PMC SB 4/50 FS 451-500	4878.7	500	50		PMC SB 5/50 FW 81-90	4609.7	500	50		PMC SB 5/50 GW 2	4671.7	500	50	
PMC SB 4/50 FS 501-550	4879.7	500	50		PMC SB 5/50 FW 91-100	4610.7	500	50		PMC SB 5/50 GW 3	4672.7	500	50	
PMC SB 4/50 FS 551-600	4880.7	500	50		PMC SB 5/50 FW 1-50	4611.7	500	50		PMC SB 5/50 GW 4	4673.7	500	50	
PMC SB 4/50 FS 601-650	4881.7	500	50		PMC SB 5/50 FW 51-100	4612.7	500	50		PMC SB 5/50 GW 5	4674.7	500	50	

Terminal Markers

Pocket-Maxicard variants

Type	Cat. no.	Qty. marker	Type	Cat. no.	Qty. marker	Type	Cat. no.	Qty. marker
		p.pck. card			p.pck. card			p.pck. card
PMC SB 5/50 GW 6	4675.7	500 50	PMC SB 6/50 FS 91-100	4747.7	500 50	PMC SB 6/50 FW 261-270	9228.7	500 50
PMC SB 5/50 GW 7	4676.7	500 50	PMC SB 6/50 FS 1-50	4748.7	500 50	PMC SB 6/50 FW 271-280	9229.7	500 50
PMC SB 5/50 GW 8	4677.7	500 50	PMC SB 6/50 FS 51-100	4749.7	500 50	PMC SB 6/50 FW 281-290	9230.7	500 50
PMC SB 5/50 GW 9	4678.7	500 50	PMC SB 6/50 FS 101-150	4750.7	500 50	PMC SB 6/50 FW 291-300	9231.7	500 50
PMC SB 5/50 GW 0	4679.7	500 50	PMC SB 6/50 FS 151-200	4751.7	500 50	PMC SB 6/50 FW 301-310	9232.7	500 50
PMC SB 5/50 GW X	4680.7	500 50	PMC SB 6/50 FS 201-250	4752.7	500 50	PMC SB 6/50 FW 311-320	9233.7	500 50
PMC SB 5/50 GW PE	4681.7	500 50	PMC SB 6/50 FS 251-300	4753.7	500 50	PMC SB 6/50 FW 321-330	9234.7	500 50
PMC SB 5/50 GW L1	4682.7	500 50	PMC SB 6/50 FS 301-350	4754.7	500 50	PMC SB 6/50 FW 331-340	9235.7	500 50
PMC SB 5/50 GW L2	4683.7	500 50	PMC SB 6/50 FS 351-400	4755.7	500 50	PMC SB 6/50 FW 341-350	9236.7	500 50
PMC SB 5/50 GW L3	4684.7	500 50	PMC SB 6/50 FS 401-450	4756.7	500 50	PMC SB 6/50 FW 351-360	9237.7	500 50
PMC SB 5/50 GW N	4685.7	500 50	PMC SB 6/50 FS 451-500	4757.7	500 50	PMC SB 6/50 FW 361-370	9238.7	500 50
PMC SB 5/50 GS 1	4686.7	500 50	PMC SB 6/50 FS 501-550	4758.7	500 50	PMC SB 6/50 FW 371-380	9239.7	500 50
PMC SB 5/50 GS 2	4687.7	500 50	PMC SB 6/50 FS 551-600	4759.7	500 50	PMC SB 6/50 FW 381-390	9240.7	500 50
PMC SB 5/50 GS 3	4688.7	500 50	PMC SB 6/50 FS 601-650	4760.7	500 50	PMC SB 6/50 FW 391-400	9241.7	500 50
PMC SB 5/50 GS 4	4689.7	500 50	PMC SB 6/50 FS 651-700	4761.7	500 50	PMC SB 6/50 FW 401-410	9242.7	500 50
PMC SB 5/50 GS 5	4690.7	500 50	PMC SB 6/50 FS 701-750	4762.7	500 50	PMC SB 6/50 FW 411-420	9243.7	500 50
PMC SB 5/50 GS 6	4691.7	500 50	PMC SB 6/50 FS 751-800	4763.7	500 50	PMC SB 6/50 FW 421-430	9244.7	500 50
PMC SB 5/50 GS 7	4692.7	500 50	PMC SB 6/50 FS 801-850	4764.7	500 50	PMC SB 6/50 FW 431-440	9245.7	500 50
PMC SB 5/50 GS 8	4693.7	500 50	PMC SB 6/50 FS 851-900	4765.7	500 50	PMC SB 6/50 FW 441-450	9246.7	500 50
PMC SB 5/50 GS 9	4694.7	500 50	PMC SB 6/50 FS L1, L2, L3, N, PE	4766.7	500 50	PMC SB 6/50 FW 451-460	9247.7	500 50
PMC SB 5/50 GS 0	4695.7	500 50	PMC SB 6/50 FS U1, V1, W1, N, PE	4767.7	500 50	PMC SB 6/50 FW 461-470	9248.7	500 50
PMC SB 5/50 GS X	4696.7	500 50	PMC SB 6/50 FS U1, V1, W1	4768.7	500 50	PMC SB 6/50 FW 471-480	9249.7	500 50
PMC SB 5/50 GS PE	4697.7	500 50	PMC SB 6/50 FS U2, V2, W2, N, PE	4769.7	500 50	PMC SB 6/50 FW 481-490	9250.7	500 50
PMC SB 5/50 GS L1	4698.7	500 50	PMC SB 6/50 FS U2, V2, W2	4770.7	500 50	PMC SB 6/50 FW 491-500	9251.7	500 50
PMC SB 5/50 GS L2	4699.7	500 50	PMC SB 6/50 FS X1-X10	4771.7	500 50	PMC SB 6/50 FW 501-510	9252.7	500 50
PMC SB 5/50 GS L3	4700.7	500 50	PMC SB 6/50 GW 1	4772.7	500 50	PMC SB 6/50 FW 511-520	9253.7	500 50
PMC SB 5/50 GS N	4701.7	500 50	PMC SB 6/50 GW 2	4773.7	500 50	PMC SB 6/50 FW 521-530	9254.7	500 50
PMC SB 5/50 GS -	4812.7	500 50	PMC SB 6/50 GW 3	4774.7	500 50	PMC SB 6/50 FW 531-540	9255.7	500 50
PMC SB 5/50 GW -	4813.7	500 50	PMC SB 6/50 GW 4	4775.7	500 50	PMC SB 6/50 FW 541-550	9256.7	500 50
PMC SB 5/50 GW +	4814.7	500 50	PMC SB 6/50 GW 5	4776.7	500 50	PMC SB 6/50 FW 551-560	9257.7	500 50
PMC SB 5/50 FS 2.4, 6-20	4815.7	500 50	PMC SB 6/50 GW 6	4777.7	500 50	PMC SB 6/50 FW 561-570	9258.7	500 50
PMC SB 5/50 FS 1.3, 5-19	4816.7	500 50	PMC SB 6/50 GW 7	4778.7	500 50	PMC SB 6/50 FW 571-580	9259.7	500 50
PMC SB 5/50 FW 2.4, 6-20	4817.7	500 50	PMC SB 6/50 GW 8	4779.7	500 50	PMC SB 6/50 FW 581-590	9260.7	500 50
PMC SB 5/50 FW 1.3, 5-19	4818.7	500 50	PMC SB 6/50 GW 9	4780.7	500 50	PMC SB 6/50 FW 591-600	9261.7	500 50
PMC SB 6/50 neutral	4702.7	500 50	PMC SB 6/50 GW 0	4781.7	500 50	PMC SB 6/50 FS 101-110	9262.7	500 50
PMC SB 6/50 Special print	4811.7	500 50	PMC SB 6/50 GW X	4782.7	500 50	PMC SB 6/50 FS 111-120	9263.7	500 50
PMC SB 6/50 FW 1-10	4703.7	500 50	PMC SB 6/50 GW PE	4783.7	500 50	PMC SB 6/50 FS 121-130	9264.7	500 50
PMC SB 6/50 FW 11-20	4704.7	500 50	PMC SB 6/50 GW L1	4784.7	500 50	PMC SB 6/50 FS 131-140	9265.7	500 50
PMC SB 6/50 FW 21-30	4705.7	500 50	PMC SB 6/50 GW L2	4785.7	500 50	PMC SB 6/50 FS 141-150	9266.7	500 50
PMC SB 6/50 FW 31-40	4706.7	500 50	PMC SB 6/50 GW L3	4786.7	500 50	PMC SB 6/50 FS 151-160	9267.7	500 50
PMC SB 6/50 FW 41-50	4707.7	500 50	PMC SB 6/50 GW N	4787.7	500 50	PMC SB 6/50 FS 161-170	9268.7	500 50
PMC SB 6/50 FW 51-60	4708.7	500 50	PMC SB 6/50 GS 1	4788.7	500 50	PMC SB 6/50 FS 171-180	9269.7	500 50
PMC SB 6/50 FW 61-70	4709.7	500 50	PMC SB 6/50 GS 2	4789.7	500 50	PMC SB 6/50 FS 181-190	9270.7	500 50
PMC SB 6/50 FW 71-80	4710.7	500 50	PMC SB 6/50 GS 3	4790.7	500 50	PMC SB 6/50 FS 191-200	9271.7	500 50
PMC SB 6/50 FW 81-90	4711.7	500 50	PMC SB 6/50 GS 4	4791.7	500 50	PMC SB 6/50 FS 201-210	9272.7	500 50
PMC SB 6/50 FW 91-100	4712.7	500 50	PMC SB 6/50 GS 5	4792.7	500 50	PMC SB 6/50 FS 211-220	9273.7	500 50
PMC SB 6/50 FW 1-50	4713.7	500 50	PMC SB 6/50 GS 6	4793.7	500 50	PMC SB 6/50 FS 221-230	9274.7	500 50
PMC SB 6/50 FW 51-100	4714.7	500 50	PMC SB 6/50 GS 7	4794.7	500 50	PMC SB 6/50 FS 231-240	9275.7	500 50
PMC SB 6/50 FW 101-150	4715.7	500 50	PMC SB 6/50 GS 8	4795.7	500 50	PMC SB 6/50 FS 231-240	9276.7	500 50
PMC SB 6/50 FW 151-200	4716.7	500 50	PMC SB 6/50 GS 9	4796.7	500 50	PMC SB 6/50 FS 251-260	9277.7	500 50
PMC SB 6/50 FW 201-250	4717.7	500 50	PMC SB 6/50 GS 0	4797.7	500 50	PMC SB 6/50 FS 261-270	9278.7	500 50
PMC SB 6/50 FW 251-300	4718.7	500 50	PMC SB 6/50 GS X	4798.7	500 50	PMC SB 6/50 FS 271-280	9279.7	500 50
PMC SB 6/50 FW 301-350	4719.7	500 50	PMC SB 6/50 GS PE	4799.7	500 50	PMC SB 6/50 FS 281-290	9280.7	500 50
PMC SB 6/50 FW 351-400	4720.7	500 50	PMC SB 6/50 GS L1	4800.7	500 50	PMC SB 6/50 FS 291-300	9281.7	500 50
PMC SB 6/50 FW 401-450	4721.7	500 50	PMC SB 6/50 GS L2	4801.7	500 50	PMC SB 7.5/40 Special print	3327.7	400 40
PMC SB 6/50 FW 451-500	4722.7	500 50	PMC SB 6/50 GS L3	4802.7	500 50	PMC SB 8/40 neutral white	9323.7	400 40
PMC SB 6/50 FW 501-550	4723.7	500 50	PMC SB 6/50 GS N	4803.7	500 50	PMC SB 8/40 Special print	9322.7	400 40
PMC SB 6/50 FW 551-600	4724.7	500 50	PMC SB 6/50 GS -	4804.7	500 50	PMC SB 8/40 FS 1-40	9286.7	400 40
PMC SB 6/50 FW 601-650	4725.7	500 50	PMC SB 6/50 GW -	4805.7	500 50	PMC SB 8/40 FS 41-80	9287.7	400 40
PMC SB 6/50 FW 651-700	4726.7	500 50	PMC SB 6/50 GW +	4806.7	500 50	PMC SB 8/40 FS 81-120	9288.7	400 40
PMC SB 6/50 FW 701-750	4727.7	500 50	PMC SB 6/50 FS 2.4, 6-20	4807.7	500 50	PMC SB 8/40 FW 1-40	9289.7	400 40
PMC SB 6/50 FW 751-800	4728.7	500 50	PMC SB 6/50 FS 1.3, 5-19	4808.7	500 50	PMC SB 8/40 FW 41-80	9290.7	400 40
PMC SB 6/50 FW 801-850	4729.7	500 50	PMC SB 6/50 FW 2.4, 6-20	4809.7	500 50	PMC SB 8/40 FW 81-120	9291.7	400 40
PMC SB 6/50 FW 851-900	4730.7	500 50	PMC SB 6/50 FW 1.3, 5-19	4810.7	500 50	PMC SB 8/40 FW 1-8	9292.7	400 40
PMC SB 6/50 FW 901-950	4731.7	500 50	PMC SB 6/50 FW 101-110	9212.7	500 50	PMC SB 8/40 FW 9-16	9293.7	400 40
PMC SB 6/50 FW L1, L2, L3, N, PE	4732.7	500 50	PMC SB 6/50 FW 111-120	9213.7	500 50	PMC SB 8/40 FW 17-24	9294.7	400 40
PMC SB 6/50 FW U1, V1, W1, N, PE	4733.7	500 50	PMC SB 6/50 FW 121-130	9214.7	500 50	PMC SB 8/40 FW 25-32	9295.7	400 40
PMC SB 6/50 FW U1, V1, W1	4734.7	500 50	PMC SB 6/50 FW 131-140	9215.7	500 50	PMC SB 8/40 FW 33-40	9296.7	400 40
PMC SB 6/50 FW U2, V2, W2, N, PE	4735.7	500 50	PMC SB 6/50 FW 141-150	9216.7	500 50	PMC SB 8/40 FW 41-48	9297.7	400 40
PMC SB 6/50 FW U2, V2, W2	4736.7	500 50	PMC SB 6/50 FW 151-160	9217.7	500 50	PMC SB 8/40 FW 57-64	9298.7	400 40
PMC SB 6/50 FW X1-X10	4737.7	500 50	PMC SB 6/50 FW 161-170	9218.7	500 50	PMC SB 8/40 FW 65-72	9299.7	400 40
PMC SB 6/50 FS 1-10	4738.7	500 50	PMC SB 6/50 FW 171-180	9219.7	500 50	PMC SB 8/40 FW 73-80	9300.7	400 40
PMC SB 6/50 FS 11-20	4739.7	500 50	PMC SB 6/50 FW 181-190	9220.7	500 50	PMC SB 8/40 FW 81-88	9301.7	400 40
PMC SB 6/50 FS 21-30	4740.7	500 50	PMC SB 6/50 FW 191-200	9221.7	500 50	PMC SB 8/40 FW 89-96	9302.7	400 40
PMC SB 6/50 FS 31-40	4741.7	500 50	PMC SB 6/50 FW 201-210	9222.7	500 50	PMC SB 8/40 FW 97-104	9303.7	400 40
PMC SB 6/50 FS 41-50	4742.7	500 50	PMC SB 6/50 FW 211-220	9223.7	500 50	PMC SB 8/40 FW 105-112	9304.7	400 40
PMC SB 6/50 FS 51-60	4743.7	500 50	PMC SB 6/50 FW 221-230	9224.7	500 50	PMC SB 8/40 FW 105-112	9305.7	400 40
PMC SB 6/50 FS 61-70	4744.7	500 50	PMC SB 6/50 FW 231-240	9225.7	500 50	PMC SB 8/40 FW 113-120	9306.7	400 40
PMC SB 6/50 FS 71-80	4745.7	500 50	PMC SB 6/50 FW 241-250	9226.7	500 50	PMC SB 8/40 FS 1-8	9307.7	400 40
PMC SB 6/50 FS 81-90	4746.7	500 50	PMC SB 6/50 FW 251-260	9227.7	500 50	PMC SB 8/40 FS 9-16	9308.7	400 40

Terminal Markers


Pocket-Maxicard variants

Type	Cat. no.	Qty. marker	p.pck. card
PMC SB 8/40 FS 17-24	9309.7	400	40
PMC SB 8/40 FS 25-32	9310.7	400	40
PMC SB 8/40 FS 33-40	9311.7	400	40
PMC SB 8/40 FS 41-48	9312.7	400	40
PMC SB 8/40 FS 49-56	9313.7	400	40
PMC SB 8/40 FS 57-64	9314.7	400	40
PMC SB 8/40 FS 65-72	9315.7	400	40
PMC SB 8/40 FS 73-80	9316.7	400	40
PMC SB 8/40 FS 81-88	9317.7	400	40
PMC SB 8/40 FS 89-96	9318.7	400	40
PMC SB 8/40 FS 97-104	9319.7	400	40
PMC SB 8/40 FS 105-112	9320.7	400	40
PMC SB 8/40 FS 113-120	9321.7	400	40
PMC BSTR 5/36 neutral	9000.7	360	36
PMC BSTR 5/36 Special print	9001.7	360	36
PMC BSTR 5/36 FW 1-12	9002.7	360	36
PMC BSTR 5/36 FW 13-24	9003.7	360	36
PMC BSTR 5/36 FW 25-36	9004.7	360	36
PMC BSTR 5/36 FW 37-48	9005.7	360	36
PMC BSTR 5/36 FW 49-60	9006.7	360	36
PMC BSTR 5/36 FW 61-72	9007.7	360	36
PMC BSTR 5/36 FW 73-84	9008.7	360	36
PMC BSTR 5/36 FW 85-96	9009.7	360	36
PMC BSTR 5/36 FW 97-108	9010.7	360	36
PMC BSTR 5/36 FW 109-120	9011.7	360	36
PMC BSTR 5/36 FW 1-36	9012.7	360	36
PMC BSTR 5/36 FW 37-72	9013.7	360	36
PMC BSTR 5/36 FW 73-108	9014.7	360	36
PMC BSTR 5/36 FW 109-144	9015.7	360	36
PMC BSTR 5/36 FW 145-180	9016.7	360	36
PMC BSTR 5/36 FW 181-216	9017.7	360	36
PMC BSTR 5/36 FW 217-252	9018.7	360	36
PMC BSTR 5/36 FW 253-288	9019.7	360	36
PMC BSTR 5/36 FW 289-324	9020.7	360	36
PMC BSTR 5/36 FW 325-360	9021.7	360	36
PMC BSTR 5/36 FW 361-396	9022.7	360	36
PMC BSTR 5/36 FW 397-432	9023.7	360	36
PMC BSTR 5/36 FW 433-468	9024.7	360	36
PMC BSTR 5/36 FW 469-504	9025.7	360	36
PMC BSTR 5/36 FW 505-540	9026.7	360	36
PMC BSTR 5/36 FW 541-576	9027.7	360	36
PMC BSTR 5/36 FW 577-612	9028.7	360	36
PMC BSTR 5/36 FW 613-648	9029.7	360	36
PMC BSTR 5/36 FW 649-684	9030.7	360	36
PMC BSTR 5/36 FW L1,L2,L3,N,PE	9031.7	360	36
PMC BSTR 5/36 FW U1,V1,W1,N,PE	9032.7	360	36
PMC BSTR 5/36 FW U1,V1,W1	9033.7	360	36
PMC BSTR 5/36 FW U2,V2,W2,N,PE	9034.7	360	36
PMC BSTR 5/36 FW U2,V2,W2	9035.7	360	36
PMC BSTR 5/36 FW X1-X12	9036.7	360	36
PMC BSTR 5/36 FS 1-12	9037.7	360	36
PMC BSTR 5/36 FS 13-24	9038.7	360	36
PMC BSTR 5/36 FS 25-36	9039.7	360	36
PMC BSTR 5/36 FS 37-48	9040.7	360	36
PMC BSTR 5/36 FS 49-60	9041.7	360	36
PMC BSTR 5/36 FS 61-72	9042.7	360	36
PMC BSTR 5/36 FS 73-84	9043.7	360	36
PMC BSTR 5/36 FS 85-96	9044.7	360	36
PMC BSTR 5/36 FS 97-108	9045.7	360	36
PMC BSTR 5/36 FS 109-120	9046.7	360	36
PMC BSTR 5/36 FS 1-36	9047.7	360	36
PMC BSTR 5/36 FS 37-72	9048.7	360	36
PMC BSTR 5/36 FS 73-108	9049.7	360	36
PMC BSTR 5/36 FS 109-144	9050.7	360	36
PMC BSTR 5/36 FS 145-180	9051.7	360	36
PMC BSTR 5/36 FS 181-216	9052.7	360	36
PMC BSTR 5/36 FS 217-252	9053.7	360	36
PMC BSTR 5/36 FS 253-288	9054.7	360	36
PMC BSTR 5/36 FS 289-324	9055.7	360	36
PMC BSTR 5/36 FS 325-360	9056.7	360	36
PMC BSTR 5/36 FS 361-396	9057.7	360	36
PMC BSTR 5/36 FS 397-432	9058.7	360	36
PMC BSTR 5/36 FS 433-468	9059.7	360	36
PMC BSTR 5/36 FS 469-504	9060.7	360	36
PMC BSTR 5/36 FS 505-540	9061.7	360	36
PMC BSTR 5/36 FS 541-576	9062.7	360	36
PMC BSTR 5/36 FS 577-612	9063.7	360	36
PMC BSTR 5/36 FS 613-648	9064.7	360	36
PMC BSTR 5/36 FS L1,L2,L3,N,PE	9065.7	360	36
PMC BSTR 5/36 FS U1,V1,W1,N,PE	9066.7	360	36

Type	Cat. no.	Qty. marker	p.pck. card
PMC BSTR 5/36 FS U1,V1,W1	9067.7	360	36
PMC BSTR 5/36 FS U2,V2,W2, N, PE	9068.7	360	36
PMC BSTR 5/36 FS U2,V2,W2	9069.7	360	36
PMC BSTR 5/36 FS X1-X12	9070.7	360	36
PMC BSTR 5/36 GW 1	9071.7	360	36
PMC BSTR 5/36 GW 2	9072.7	360	36
PMC BSTR 5/36 GW 3	9073.7	360	36
PMC BSTR 5/36 GW 4	9074.7	360	36
PMC BSTR 5/36 GW 5	9075.7	360	36
PMC BSTR 5/36 GW 6	9076.7	360	36
PMC BSTR 5/36 GW 7	9077.7	360	36
PMC BSTR 5/36 GW 8	9078.7	360	36
PMC BSTR 5/36 GW 9	9079.7	360	36
PMC BSTR 5/36 GW 0	9080.7	360	36
PMC BSTR 5/36 GW X	9081.7	360	36
PMC BSTR 5/36 GW PE	9082.7	360	36
PMC BSTR 5/36 GW L1	9083.7	360	36
PMC BSTR 5/36 GW L2	9084.7	360	36
PMC BSTR 5/36 GW L3	9085.7	360	36
PMC BSTR 5/36 GW N	9086.7	360	36
PMC BSTR 5/36 GW +	9087.7	360	36
PMC BSTR 5/36 GW -	9088.7	360	36
PMC BSTR 5/36 GS 1	9089.7	360	36
PMC BSTR 5/36 GS 2	9090.7	360	36
PMC BSTR 5/36 GS 3	9091.7	360	36
PMC BSTR 5/36 GS 4	9092.7	360	36
PMC BSTR 5/36 GS 5	9093.7	360	36
PMC BSTR 5/36 GS 6	9094.7	360	36
PMC BSTR 5/36 GS 7	9095.7	360	36
PMC BSTR 5/36 GS 8	9096.7	360	36
PMC BSTR 5/36 GS 9	9097.7	360	36
PMC BSTR 5/36 GS 0	9098.7	360	36
PMC BSTR 5/36 GS PE	9099.7	360	36
PMC BSTR 5/36 GS L1	9100.7	360	36
PMC BSTR 5/36 GS L2	9101.7	360	36
PMC BSTR 5/36 GS L3	9102.7	360	36
PMC BSTR 5/36 GS N	9103.7	360	36
PMC BSTR 5/36 GS -	9104.7	360	36
PMC BSTR 5/36 MI neutral	9105.7	360	36
PMC BSTR 6/30 neutral	9324.7	360	36
PMC BSTR 6/30 Special print	9106.7	300	30
PMC BSTR 6/30 FW 1-10	9107.7	300	30
PMC BSTR 6/30 FW 11-20	9108.7	300	30
PMC BSTR 6/30 FW 21-30	9109.7	300	30
PMC BSTR 6/30 FW 31-40	9110.7	300	30
PMC BSTR 6/30 FW 41-50	9111.7	300	30
PMC BSTR 6/30 FW 51-60	9112.7	300	30
PMC BSTR 6/30 FW 61-70	9113.7	300	30
PMC BSTR 6/30 FW 71-80	9114.7	300	30
PMC BSTR 6/30 FW 81-90	9115.7	300	30
PMC BSTR 6/30 FW 91-100	9116.7	300	30
PMC BSTR 6/30 FW 1-30	9117.7	300	30
PMC BSTR 6/30 FW 31-60	9118.7	300	30
PMC BSTR 6/30 FW 61-90	9119.7	300	30
PMC BSTR 6/30 FW 91-120	9120.7	300	30
PMC BSTR 6/30 FW 121-150	9121.7	300	30
PMC BSTR 6/30 FW 151-180	9122.7	300	30
PMC BSTR 6/30 FW 181-210	9123.7	300	30
PMC BSTR 6/30 FW 211-240	9124.7	300	30
PMC BSTR 6/30 FW 241-270	9125.7	300	30
PMC BSTR 6/30 FW 271-300	9126.7	300	30
PMC BSTR 6/30 FW 301-330	9127.7	300	30
PMC BSTR 6/30 FW 331-360	9128.7	300	30
PMC BSTR 6/30 FW 361-390	9129.7	300	30
PMC BSTR 6/30 FW 391-420	9130.7	300	30
PMC BSTR 6/30 FW 421-450	9131.7	300	30
PMC BSTR 6/30 FW 451-480	9132.7	300	30
PMC BSTR 6/30 FW 481-510	9133.7	300	30
PMC BSTR 6/30 FW 511-540	9134.7	300	30
PMC BSTR 6/30 FW 541-570	9135.7	300	30
PMC BSTR 6/30 FW L1,L2,L3,N,PE	9136.7	300	30
PMC BSTR 6/30 FW U1,V1,W1,N,PE	9137.7	300	30
PMC BSTR 6/30 FW U1,V1,W1	9138.7	300	30
PMC BSTR 6/30 FW U2,V2,W2,N,PE	9139.7	300	30
PMC BSTR 6/30 FW U2,V2,W2	9140.7	300	30
PMC BSTR 6/30 FW X1-X10	9141.7	300	30
PMC BSTR 6/30 FS 1-10	9142.7	300	30
PMC BSTR 6/30 FS 11-20	9143.7	300	30
PMC BSTR 6/30 FS 21-30	9144.7	300	30
PMC BSTR 6/30 FS 31-40	9145.7	300	30

Type	Cat. no.	Qty. marker	p.pck. card
PMC BSTR 6/30 FS 31-40	9146.7	300	30
PMC BSTR 6/30 FS 41-50	9147.7	300	30
PMC BSTR 6/30 FS 51-60	9148.7	300	30
PMC BSTR 6/30 FS 61-70	9149.7	300	30
PMC BSTR 6/30 FS 71-80	9150.7	300	30
PMC BSTR 6/30 FS 81-90	9151.7	300	30
PMC BSTR 6/30 FS 91-100	9152.7	300	30
PMC BSTR 6/30 FS 1-30	9153.7	300	30
PMC BSTR 6/30 FS 31-60	9154.7	300	30
PMC BSTR 6/30 FS 61-90	9155.7	300	30
PMC BSTR 6/30 FS 91-120	9156.7	300	30
PMC BSTR 6/30 FS 121-150	9157.7	300	30
PMC BSTR 6/30 FS 151-180	9158.7	300	30
PMC BSTR 6/30 FS 181-210	9159.7	300	30
PMC BSTR 6/30 FS 211-240	9160.7	300	30
PMC BSTR 6/30 FS 241-270	9161.7	300	30
PMC BSTR 6/30 FS 271-300	9162.7	300	30
PMC BSTR 6/30 FS 301-330	9163.7	300	30
PMC BSTR 6/30 FS 331-360	9164.7	300	30
PMC BSTR 6/30 FS 361-390	9165.7	300	30
PMC BSTR 6/30 FS 391-420	9166.7	300	30
PMC BSTR 6/30 FS 421-450	9167.7	300	30
PMC BSTR 6/30 FS 451-480	9168.7	300	30
PMC BSTR 6/30 FS 481-510	9169.7	300	30
PMC BSTR 6/30 FS 511-540	9170.7	300	30
PMC BSTR 6/30 FS L1,L2,L3,N,PE	9171.7	300	30
PMC BSTR 6/30 FS U1,V1,W1,N,PE	9172.7	300	30
PMC BSTR 6/30 FS U1,V1,W1	9173.7	300	30
PMC BSTR 6/30 FS U2,V2,W2,N,PE	9174.7	300	30
PMC BSTR 6/30 FS U2,V2,W2	9175.7	300	30
PMC BSTR 6/30 FS X1-X10	9176.7	300	30
PMC BSTR 6/30 GW 1	9177.7	300	30
PMC BSTR 6/30 GW 2	9178.7	300	30
PMC BSTR 6/30 GW 3	9179.7	300	30
PMC BSTR 6/30 GW 4	9180.7	300	30
PMC BSTR 6/30 GW 5	9181.7	300	30
PMC BSTR 6/30 GW 6	9182.7	300	30
PMC BSTR 6/30 GW 7	9183.7	300	30
PMC BSTR 6/30 GW 8	9184.7	300	30
PMC BSTR 6/30 GW 9	9185.7	300	30
PMC BSTR 6/30 GW 0	9186.7	300	30
PMC BSTR 6/30 GW X	9187.7	300	30
PMC BSTR 6/30 GW PE	9188.7	300	30
PMC BSTR 6/30 GW L1	9189.7	300	30
PMC BSTR 6/30 GW L2	9190.7	300	30
PMC BSTR 6/30 GW L3	9191.7	300	30
PMC BSTR 6/30 GW N	9192.7	300	30
PMC BSTR 6/30 GW +	9193.7	300	30
PMC BSTR 6/30 GW -	9194.7	300	30
PMC BSTR 6/30 GS 1	9195.7	300	30
PMC BSTR 6/30 GS 2	9196.7	300	30
PMC BSTR 6/30 GS 3	9197.7	300	30
PMC BSTR 6/30 GS 4	9198.7	300	30
PMC BSTR 6/30 GS 5	9199.7	300	30
PMC BSTR 6/30 GS 6	9200.7	300	30
PMC BSTR 6/30 GS 7	9201.7	300	30
PMC BSTR 6/30 GS 8	9202.7	300	30
PMC BSTR 6/30 GS 9	9203.7	300	30
PMC BSTR 6/30 GS 0	9204.7	300	30
PMC BSTR 6/30 GS X	9205.7	300	30
PMC BSTR 6/30 GS PE	9206.7	300	30
PMC BSTR 6/30 GS L1	9207.7	300	30
PMC BSTR 6/30 GS L2	9208.7	300	30
PMC BSTR 6/30 GS L3	9209.7	300	30
PMC BSTR 6/30 GS N	9210.7	300	30
PMC BSTR 6/30 GS -	9211.7	300	30

Terminal Markers



Quick marking system SB

The SB quick marking system combines the advantages of being extremely straightforward and easy to handle with the benefits of a reasonable price. The **SB** strips are made of white polyamide 6.6; the black-coloured print is hot-foil stamped and is absolutely smudge-proof.

SB strips consist of 10 single markers that can be easily pressed into the marker recesses on the terminal blocks. It is possible to remove the **SB** markers from the strip at any point. The **SB** strips can be marked easily and clearly by hand using the marker pen **BS 1**, **Cat. no.: 2034.0**. The strips are supplied in bags each containing 50 strips = 500 single markers; with 3-digit markings in bags containing 25 strips = 250 single markers.

SB 5/10 = 5 mm width

As individual markers, they are suitable for all terminals with a module width of 5 mm and greater. They can be utilised for strip marking of all terminals with a module width of 5 mm. Print: max. 3-digit horizontal, 3-digit vertical.

SB 6/10 = 6 mm width

As individual markers, they are suitable for all terminals with a module width of 6 mm and greater. They can be utilised for strip marking of all terminals with a module width of 6 mm. Print: max. 3-digit horizontal, 3-digit vertical.

SB 8/10 = 8 mm width

As individual markers, they are suitable for all terminals with a module width of 8 mm and greater. They can be utilised for strip marking of all terminals with a module width of 8 mm. Print: max. 4-digit horizontal, 3-digit vertical.

SB 7.5/10 = 7.5 mm width

They are suitable for individual and strip marking of all transformer terminals with a module width of 7.5 mm.

Marking of horizontally mounted terminals

FW = consecutive horizontal
GW = identical horizontal

Marking of vertically mounted terminals

FS = consecutive vertical GS = identical vertical SB = special prints
Customised prints are available on request.
Minimum order quantity of 250 strips = 2 500 markers.

SB coloured

The strips of markers are also available in the following colours: red, yellow, green, blue or orange. The print is coloured black. Please indicate the colour you require when placing your order. Minimum order quantity of printed coloured markers per colour: 250 strips = 2 500 markers.

SB strips, neutral /customer-specific to be printed by the user

Type	Qty.p.pck.	Cat. no.
For terminal width ≥ 5 mm	500	2430.0
For terminal width ≥ 6 mm	500	2035.0
For terminal width = 7.5 mm	500	2838.0
For terminal width ≥ 8 mm	250	2940.0
Print	without	
SB material	white	

SB strips, printed consecutive, horizontal

Type	Qty.p.pck.	Cat. no.
For terminal width ≥ 5 mm	500	2431.0
For terminal width ≥ 6 mm	500	2036.0
For terminal width ≥ 8 mm	250	2941.0
Print	1...10 to 91...100	
SB material	white	

SB strips, printed consecutive, horizontal

Type	Qty.p.pck.	Cat. no.
For terminal width ≥ 5 mm	500	2404.0
For terminal width ≥ 6 mm	500	2989.0
For terminal width ≥ 8 mm	250	2971.0
Print	X1; Y1; Z1 to X10; Y10; Z10	
or Print	R1; S1; T1 to R10; S10; T10	
SB material	white	

SB strips, printed consecutive, vertical

Type	Qty.p.pck.	Cat. no.
For terminal width ≥ 5 mm	500	2433.0
For terminal width ≥ 6 mm	500	2037.0
For terminal width ≥ 8 mm	250	2942.0
Print	1...10 to 91...100	
SB material	white	

SB strips, printed consecutive, vertical

Type	Qty.p.pck.	Cat. no.
For terminal width ≥ 5 mm	500	2472.0
For terminal width ≥ 6 mm	500	2990.0
For terminal width ≥ 8 mm	250	2973.0
Print	X1; Y1; Z1 to X10; Y10; Z10	
or Print	R1; S1; T1 to R10; S10; T10	
SB material	white	

SB strips, printed consecutive, horizontal

Type	Qty.p.pck.	Cat. no.
For terminal width ≥ 5 mm	500	2432.0
For terminal width ≥ 6 mm	500	2102.0
For terminal width ≥ 8 mm	250	2943.0
Print	1, 2, 3 or 4 to 100	
SB material	white	

SB strips, printed consecutive, horizontal

Type	Qty.p.pck.	Cat. no.
For terminal width ≥ 5 mm	500	2474.0
For terminal width ≥ 6 mm	500	2157.0
For terminal width ≥ 8 mm	250	2975.0
Print	A, B, C or D to Z	
or Print	a, b, c or d to z	
SB material	white	

SB strips, printed consecutive, vertical

Type	Qty.p.pck.	Cat. no.
For terminal width ≥ 5 mm	500	2434.0
For terminal width ≥ 6 mm	500	2103.0
For terminal width ≥ 8 mm	250	2944.0
Print	1, 2, 3 or 4 to 100	
SB material	white	


SB strips, printed consecutive, vertical

Type	Qty.p.pck.	Cat. no.
For terminal width ≥ 5 mm	500	2475.0
For terminal width ≥ 6 mm	500	2161.0
For terminal width ≥ 8 mm	250	2976.0
Print	A, B, C or D to Z	
or Print	a, b, c or d to z	
SB material	white	

Terminal Markers

Quick marking system AS 3/10

Distinguishing features of the AS 3/10 marking system is its universal versatility resulting in extremely low storage requirements. The AS 3 strips are made of white polyamide 6.6; the black-coloured print is hot-foil stamped and is absolutely smudge-proof. The AS 3 strips consist of 10 single markers that can be easily pressed into the marker recesses on the terminal blocks to be read vertically; depending on the terminal block they are printed with 2 to 4 digits. It is possible to remove markers from the strip at any point. The AS 3 strips can be marked easily and cleanly by hand using the marker pen BS 1, Cat. no.: 2034.0.



Technical data and order information AS 3/10

Material	Polyamide 6.6, halogen-free
Flammability class	In accordance with UL 94-V2
Temperature range	-40 °C to +105 °C
Colours	AS 3/10 strips are available in the colours ; please indicate the required colour when placing your order. ● ● ● ● ●
Package	Carton
Minimum order quantity	50 strips = 500 single markers, in the case of printed, coloured strips = 250 strips = 2 500 single markers
Print variants	F = consecutive vertical, G = identical vertical

Cat. no.	Type	Print	Number of markers row	Qty.p.pck.
2571.0	AS 3/10 white	neutral	10	500
2572.0	AS 3/10 F white	consecutive 0...9	10	500
2573.0	AS 3/10 G white	identical 0...9; A...Z; +, -, ~, ⊕	10	500

Terminal Markers

Marker holder SchT for attaching AS 3/10

The vertically read AS 3/10 strips consisting of three to twelve characters – depending on the type of terminal – can be snapped onto the marker holders SchT 3-6, SchT 4/8 and SchT 6/12. The marker holders are fitted with a foot that is snapped into the marker recess or the end bracket.

Cat. no.	Type	Length x width in mm	Qty.p.pck.
2616.0	SchT 3	9.5 x 5	100
2617.0	SchT 4	12.5 x 5	100
2618.0	SchT 5	15.8 x 5	100
2619.0	SchT 6	19 x 5	100
2528.0	SchT 4/8	32 x 5	100
2529.0	SchT 6/12	42 x 5	100
2530.0	SchT 11	21 x 5	100

Terminal Markers

1. Marker holder for terminal blocks/end brackets

SchT 4/8	SchT 6/12	SchT 7 long, short	ZSchT 1	ZSchT 2	SchT 8
					
Hinged marker holder, seated at right-angles to the mounting rail holding 4 SB or 8 AS markers.	Hinged marker holder, seated at right-angles to the mounting rail holding 6 SB or 12 AS markers.	Hinged marker holder (optionally available with a long or short joint) seated at right-angles to the mounting rail and marked by means of either the ESO insertion marker or adhesive device labels GKE 30/6. STR protective strips complete the holder.	Hinged marker holder with a straight joint seated parallel to the mounting rail. Marking is made using the insertion marker ESO or adhesive device labels GKE 30/6. STR protective strips complete the holder.	Hinged marker holder with an angled joint seated parallel to the mounting rail. Marking is made using the insertion marker ESO or adhesive device labels GKE 30/6. STR protective strips complete the holder.	Marker holder attaches to the partition plate recess of the terminal block; these can be added retrospectively. Marking with insertion marker BST 8 and shield cap SK 8.

Cat. no.	Type	Width	Qty.p. pck.	Accessories: Cat. no.	Type	Qty.p. pck.	Accessories: Cat. no.	Type	Qty.p. pck.	Accessories: Cat. no.	Type	Qty.p. pck.
2528.0	SchT 4/8	5.0 mm	100	See variants	PMC SB 5 MC SB 5	500 1000	See variants	AS 3/10	500			
2529.0	SchT 6/12	5.0 mm	100	See variants	PMC SB 5 MC SB 5	500 1000	See variants	AS 3/10	500			
2504.0	SchT 7 Short joint	8.5 mm	100	2584.0	ESO insertion marker	1 sheet	3917.7	GKE 30/6 WS	1 roll à 10.000 labels	2506.0	STR Protective strips	100
2361.0	SchT 7 Long joint	8.5 mm	100	2584.0	ESO insertion marker	1 sheet	3917.7	GKE 30/6 WS	1 roll à 10.000 labels	2506.0	STR Protective strips	100
3773.0	ZSchT 1	8.5 mm	100	2584.0	ESO insertion marker	1 sheet	3917.7	GKE 30/6 WS	1 roll à 10.000 labels	2506.0	STR Protective strips	100
3774.0	ZSchT 2	8.5 mm	100	2584.0	ESO insertion marker	1 sheet	3917.7	GKE 30/6 WS	1 roll à 10.000 labels	2506.0	STR Protective strips	100
2520.0	SchT 8	6.0 mm	100	2521.0	BST 8 insertion marker	1 sheet				2522.0	SK 8 Shield cap	100

Terminal Markers

2. Marker holder for end brackets

SchT 2	SchT 9	SchT 10	SchT 11	ZSchT 3	ZSchT 4
					
Non-moveable marker holder for ES.../2/K and ES.../K/ST markers. Marking with insertion marker ESO 2 and protective strips STR 2 or adhesive device labels GKE 30/6.	Non-moveable marker holder for ES.../2/K and ES.../K/ST. Marking with the plotter system EMS-2 possible.	Non-moveable marker holder for ES.../K/ST. Marking possible with the plotter system EMS-2.	Non-moveable marker holder for securing 4 SB or 8 AS markers, for ES.../2K, ES.../K/ST or ZES 35/2.	Hinged marker holder with angled joint for ES/... and ZES 35 seated at right-angles to the mounting rail. Marking with insertion markers ESO and protective strips STR or adhesive device labels GKE 30/6.	Hinged marker holder with straight joint for ES/... and ZES 35 seated parallel to the mounting rail. Marking with insertion markers ESO and protective strips STR or adhesive device labels GKE 30/6.

Terminal Markers

2. Marker holder for end brackets



Non-moveable marker holder for ZES 35 und ES/... seated at right-angles to the mounting rail. Marking with insertion markers ESO 3 and protective strips STR 3.

Non-moveable marker holder for ZES 35 und ES/... seated at right-angles to the mounting rail. Marking with the plotter system EMS-2 possible.

Cat. no.	Type	Width	Qty.p. pck.	Cat. no.	Accessories: Type	Qty.p. pck.	Cat. no.	Accessories: Type	Qty.p. pck.	Cat. no.	Accessories: Type	Qty.p. pck.
2888.0	SchT 2	9.5 mm	100	2877.0	ESO insertion marker	10	3917.7	GKE 30/6 WS	1 roll à 10,000 labels	2878.0	STR 2	100
3749.0	SchT 9	8.0 mm	100									
3809.0	SchT 10	9.5 mm	100									
2530.0	SchT 11	5.0 mm	100	See variants	PMC SB 5 MC SB 5	500 1000						
3775.0	ZSchT 3	8.5 mm	100	2584.0	ESO insertion marker	1 sheet	3917.7	GKE 30/6 WS	1 roll à 10,000 labels	2506.0	STR	100
					Sheet à 120 markers						Protective strips	
3776.0	ZSchT 4	8.5 mm	100	2584.0	ESO insertion marker	1 sheet	3917.7	GKE 30/6 WS	1 roll à 10,000 labels	2506.0	STR	100
					Sheet à 120 markers						Protective strips	
3777.0	ZSchT 5	6.0 mm	100	2585.0	ESO 3 insertion marker	1 sheet				2579.0	STR 3	100
					Sheet à 124 markers						Protective strips	
3807.0	ZSchT 6	6.0 mm	100									

Terminal Markers

3. Group marker holder for mounting rails



Group marker holders GT 1 and GT 2 are designed to snap directly onto TS 32 and TS 35 mounting rails. The GT 1 is marked using ESO GT 1 insertion markers and STR GT 1 protective strips. The GT 2 is marked using ESO GT 2 insertion markers and STR GT 2 protective strips or the adhesive device labels GKE 30/6.

Cat. no.	Type	Width	Qty.p. pck.	Cat. no.	Accessories: Type	Qty.p. pck.	Cat. no.	Accessories: Type	Qty.p. pck.	Cat. no.	Accessories: Type	Qty.p. pck.
3783.2	GT 1	9.5 mm	20	2580.0	ESO GT 1	1 sheet	3917.7	GKE 30/6 WS	1 roll à 10,000 labels	2582.0	STR GT 1	20
					Insertion marker							
					Sheet à 140 markers							
3784.2	GT 2	19.5 mm	20	2581.0	ESO GT 2	1 sheet	3917.7	GKE 30/6 WS	1 roll à 10,000 labels	2583.0	STR GT 2	20
					Insertion marker							
					Sheet à 60 markers							

CONTA-CLIP selection list

Terminal Markers

Connectors	Markers							
	SB 4	SB 5	SB 6	SB 7.5	SB 8	BSTR 10	BSTR 10 MI	BSTR 12
BAK 2.5 ...	x	x						
BAK 4 ...	x	x	x					
BAK 10 ...	x	x	x		x			
DLI/DLIS...	x	x	x					
ES 15	x	x					x	
ES 32/35 Combi	x	x	x		x	x	x	x
ES 35	x	x	x			x	x	x
ES 35/2/K	x	x	x		x	x	x	x
ES 35/K/ST	x	x	x		x	x	x	x
ES 32	x	x	x			x	x	
ES 32/2/K	x	x	x		x	x	x	
ES 32/K/ST	x	x	x		x	x		x
FF 1/15	x	x	x					
FF 2.5	x	x	x			x	x	x
FRK 1.5...	x							
FRK 2.5...	x	x						
FRK 4...	x	x	x					
FSL 1.5...	x							
FSL 2.5...	x	x						
FSL 4...	x	x	x					
IK ...	x	x						
IKD ...	x	x						
KBL 1.5-4	x	x	x					
KBL 2.5...	x	x				x	x	
KBL 2.5-4...	x	x	x			x	x	x
KBL 6-10...	x	x	x		x	x	x	x
KBLD 2.5	x	x						
KBLD 4	x	x	x					
NT 2.5-4 ...	x	x	x			x	x	x
NT 6-10 ...	x	x	x		x	x	x	x
PTK ...	x	x	x		x	x	x	x
RK 1.5-4	x	x	x					
RK 2.5...	x	x				x	x	
RK 6...	x	x	x		x	x	x	x
RK 16...	x	x	x		x	x	x	x
RK 35...	x	x	x		x	x	x	x
RK 50...	x	x	x		x	x	x	x
RK 95...	x	x	x		x	x	x	x
RK 150...	x	x	x		x	x	x	x
RK 240...	x	x	x		x	x	x	x
RK 2.5-4...	x	x	x			x	x	x
RKB 4	x	x	x					
RKD 2.5 ...	x	x						
RKD 4 ...	x	x	x					
RKDG 4...	x	x	x			x	x	x
SF 2.5-4	x	x	x			x	x	x
SIK 10 ...	x	x	x		x	x	x	x
SK 1		x	x					
SL 2.5...	x	x				x	x	x
SL 4/15 ...	x	x	x					
SL 4/35 ...	x	x	x			x	x	x
SL 10...	x	x	x		x	x	x	x
SL 16...	x	x	x		x	x	x	x
SL 35...	x	x	x		x	x	x	x
SLN 2.5 ...	x	x						
SRK 2.5...	x	x						
STKD 1...	x	x	x				x	
STKD 2 ...	x	x	x				x	
STK 2	x	x	x				x	
STK 1	x	x	x				x	
TK 2...	x	x	x					
TK 4...				x				
TK 10...				x				

CONTA-CLIP selection list

Terminal Markers

Connectors	Markers							
	SB 4	SB 5	SB 6	SB 7.5	SB 8	BSTR 10	BSTR 10 MI	BSTR 12
TRK 1.5 ...	x	x	x			x	x	x
TSK 2.5...	x	x	x			x	x	x
VMAK 2.5	x	x	x					
ZES 15	x	x						
ZES 35	x	x						
ZES 35/2	x	x				x		
ZIKD 2.5...	x	x						
ZIZA	x	x				x		
ZMPA 1.5	x	x				x	x	
ZRK 2.5...	x	x	x			x		
ZRK 4...	x	x	x			x		
ZRK 6...	x	x	x			x		
ZRK 10	x	x	x			x		
ZRK 16	x	x	x			x		
ZRKD 2.5...	x	x						
ZSL 2.5	x	x						
ZSL 4	x	x	x			x		
ZSL 6	x	x	x			x		
ZSL 10	x	x	x			x		
ZSL 16	x	x	x			x		
ZSLD 2.5...	x	x						
ZSLN	x	x						
ZSRK 2.5...	x	x						
ZTRK	x	x						
ZVMAK 2.5	x	x						

Selection list of marker holders for end brackets

	ZSchT 1	ZSchT 2	ZSchT 3	ZSchT 4	ZSchT 5	ZSchT 6	SchT 4/8	SchT 6/12	SchT 7 long short	SchT 2	SchT 9	SchT 10	SchT 11
ES 15	x	x					x	x	x				
ES 32/35 Combi	x	x					x	x	x				
ES 35	x	x					x	x	x				
ES 35/2/K	x	x	x	x	x	x	x	x	x	x	x		x
ES 35/K/ST	x	x	x	x	x	x	x	x	x	x	x	x	x
ES 32	x	x					x	x	x				
ES 32/2/K	x	x	x	x	x	x	x	x	x	x	x		x
ES 32/K/ST	x	x	x	x	x	x	x	x	x	x	x	x	x
ZES 15	x	x					x	x	x				
ZES 35	x	x	x	x	x	x	x	x	x	x			
ZES 35/2	x	x					x	x	x				x